

North America's Leader in Hazardous Material Information Management 1905 Aston Avenue, Carlsbad, CA 92008 Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date:	03/02/2009
To:	MSDS Requester

From: 3E Company

Subject: The MSDS you have requested

[] MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communicatin Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

[] MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

[] MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

[X] MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer:Styling Technology Corp.Product Name:Pure Glycerin

1 01 6	1	of	2
--------	---	----	---

-Gena	MATERIAL SAFETY DATA SHEET	1 of 2
	GENA Laboratories, Inc. 1146 S. Cedar Ridge	
	Duncanville, Tx. 75137	
roduct Name: mer. Phone Number.: ffective Date: evision Date: rade Name: hemical Name: hemical Family: hemical Formula:	(800)233-4362 01-01-85 08-15-90 SOFT TQUCH PURE GLYCERIN GLYCERINE GLYCEROL CAS # 56-81-5	
	SECTION II - HAZARDOUS INGREDIENTS	
azardous Components ONE		PROD. CAS #

/apor Pressure: /apor Density: 30Lubility in H20: 3pecific Gravity Vaporation Rate: H	N/A N/A N/A 3 3.1 COMPLETE 1.252 -N/A
SEC	TION IV - FIRE AND EXPLOSION DATA
\$\$P1	: 알프릴 중 후 또 일 손 받 중 한 것 을 받 을 다 한 은 모 한 도 모 한 유 관 프 프 프 프 프 프 프 프 프 프 프 프 프 프 프 프 프 프
Flash Point	390 F PMCC
_ower Flame Limit:	N/A
Higher Flame Limit.:	N/A
Jnusual Fire Hazard:	MAY EXPLODE WITH STRONG OXIDIZING AGENTS
	WATER, C02, DRY CHEMICAL
Fire Fighting	NONE
Threshold Limit Value	SECTION V ~ HEALTH HAZARD DATA
over Exposure Effects	MAY CAUSE SLIGHT EYE IRRITATION.
First Aid Procedures.	: EYES: FLUSH WITH WATER. SKIN: RINSE WITH WATER. INGESTION: INDUCE VOMITING IF LARGE AMOUNT IS SWALLOWED. CALL PHYSICIAN.

Chemical Stability: STABLE
Conditions to Avoid: STRONG OXIDIZERS Incompatible Materials.: OXIDIZING AGENTS Decomposition Products.: ACROLEIN
Hazardous Polymerization: WILL NOT OCCUR Polymerization Avoid: N/A
SECTION VII - SPILL OR LEAK PROCEDURE
For Spill SWEEP UP AND PLACE IN SUITABLE CONTAINER.
Waste Disposal Method: DISPOSE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.
SECTION VIII - SPECIAL PROTECTION
Respiratory Protection.: NONE
Ventilation: GENERAL VENTILATION SUFFICIENT Protective Gloves: NOT REQUIRED Eye Protect
SECTION IX - SPECIAL PRECAUTIONS
Hazard Class

Comments: PRACTICE REASONABLE CARE AND CAUTION WITH THIS PRODUCT.

Title: _____ Date: 9.15 92 Prepared By:

Disclaimer of Liability

The information in this MSDS was obtained from sources which we believe are eliable. However, the information is provided without any representation or arranty, express or implied, regarding its accuracy or correctness.

The conditions OR methods of handling, storage, use AND disposal of the roduct are beyond our control AND may be beyond our knowledge. For this and ther reasons, we do not assume responsibility and expressly disclaim liability or loss, damage or expense arising out of or in any way connected with the andling, storage, use or disposal of the product.