



| | |
|------------------|---|
| Health | 2 |
| Fire | 2 |
| Physical | 0 |
| Pers. Protection | A |

Material Safety Data Sheet

Blue Magic, Inc.
1207 N FM 3083 E
Conroe, TX 77303
(888) 522-2746 or (936) 539-1555

CHEMTREC 24-HOUR EMERGENCY RESPONSE

TOLL-FREE NUMBER: (800) 424-9300

CHEMTREC should be contacted only in the event of chemical accidents involving, fire, spill, exposure, or other emergency situations involving the chemical product described herein.

Section 1: Chemical Product Identification

PRODUCT NAME: **PRO INJECT-R-KLEEN
(OTC PRIVATE LABEL)**

HMIS CODES

Health: 2 Flammability: 2 Physical: 0

PRODUCT NUMBER: 7000

Section 2: Composition and Information on Hazardous Ingredients

HAZARDOUS INGREDIENTS:

| <u>CAS NUMBER</u> | <u>CHEMICAL NAME</u> | <u>WEIGHT %</u> | <u>OSHA PEL</u> | <u>ACGIH TLV</u> | <u>OTHER LIMITS</u> |
|-------------------|-----------------------------|-----------------|-----------------|------------------|---------------------|
| 8008-20-6 | Kerosene | > 98 | ND | ND | ND |
| Mixture | Polymer/Amine/Solvent blend | < 2 | ND | ND | ND |

Section 3: Hazards Identification

SUMMARY OF ACUTE HAZARDS

| <u>ROUTE OF EXPOSURE</u> | <u>SIGN AND SYMPTOM</u> | <u>PRIMARY ROUTE</u> |
|--------------------------|--|----------------------|
| INHALATION: | MAY CAUSE LIGHT HEADACHES OR DIZZINESS | YES |
| EYE CONTACT: | MAY CAUSE IRRITATION | YES |
| SKIN CONTACT: | MAY CAUSE IRRITATION | YES |
| INGESTION: | MAY CAUSE STOMACH DISTRESS, NAUSEA, AND VOMITING | YES |

SUMMARY OF CHRONIC HAZARDS:

Exposure to kerosene can result in skin irritation and contact dermatitis.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Pre-existing disorders of the skin, eyes, and respiratory tract may be exacerbated by exposure to kerosene.

Section 4: First Aid Measures

- **INHALATION:** Move to fresh air or provide fresh air by ventilation. If symptoms persist, seek medical attention.
- **EYE:** Remove any contact lenses and flush with running water for 15 minutes. Obtain medical attention if irritation persists.
- **SKIN:** Flush with water. Wash with soap and water. If irritation persists, seek medical attention. Wash contaminated clothing before reuse.
- **INGESTION:** Do not induce vomiting. Rinse mouth out. Obtain medical attention immediately. If unconscious, never give anything by mouth.

Section 5: Fire and Explosion Data

FLASH POINT °F: 100.4, TCC (Kerosene)

EXTINGUISHING MEDIUM: Water, foam, carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: None known

UNUSUAL FIRE AND EXPLOSION HAZARDS: Hazardous combustion products-may include and are not limited to oxides of carbon.

FLAMMABILITY LIMITS: LEL: 0.7% UEL: 5-7%

AUTO-IGNITION TEMPERATURE (°F): 410

Section 6: Accidental Release Measures

PERSONAL PROTECTIVE EQUIPMENT: ND

MATERIAL RELEASED OR SPILLS: Small spills may be absorbed with non-reactive absorbent material and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers, waterways, and soil.

Section 7: Handling and Storage

STORAGE: Keep out of reach of children. Store closed container upright away from incompatible materials and food. Do not store near heat, flame, sparks or other forms of ignition.

OTHER PRECAUTIONS: Do not re-use empty containers.

Section 8: Exposure Controls and Personal Protection

RESPIRATORY PROTECTION: None required in normal usage.

ENGINEERING CONTROLS: General ventilation normally adequate.

SPECIAL: NA

PROTECTIVE GLOVES: Not needed in normal usage.

EYE PROTECTION: Not required under normal conditions, but always advisable when using chemical products.

WORK/HYGENIC PRACTICES: Where use can result in skin contact, wash exposed area thoroughly before eating, drinking, smoking, or in food preparation. Launder contaminated clothing before re-use.

OTHER PERSONAL PROTECTION: As required by employer policies.

Section 9: Physical and Chemical Properties

APPEARANCE: Colorless

PHYSICAL STATE: Liquid

VAPOR PRESSURE (mmHg): 0.1 kPa

SOLUBILITY IN WATER: Insoluble

SPECIFIC GRAVITY: 0.75-0.85

PARTITION COEFFICIENT OF WATER/OIL DISTRIBUTION: ND

ODOR: Paraffinic

BOILING POINT (°F): 302-527

VAPOR DENSITY (AIR=1): 4.5

MELTING POINT: NA

EVAPORATION RATE (ETHYL ACETATE =1): ND

pH: NA

Section 10: Stability and Reactivity

STABILITY: Stable.

CONDITIONS TO AVOID: Heat, ignition sources (spark, flame), incompatible materials

HAZARDOUS DECOMPOSITION PRODUCTS: May include, but is not limited to oxides of carbon.

INCOMPATIBILITY: Oxidizers and reducers.

HAZARDOUS POLYMERIZATION: Will not occur.

Section 11: Toxicological Information

CARCINOGENICITY: ND
REPRODUCTIVE TOXICITY: ND
SKINTEX DATA: ND

NTP: No
TERATOGENICITY: ND

IARC MONOGRAPHS: No

OSHA REGULATED: No
MUTAGENICITY: ND

There is no LD₅₀ or LC₅₀ information available for humans. Kerosene has been shown to have acute oral toxicity when tested on rats (LD₅₀=15 g/kg) and on guinea pigs (LD₅₀=20 g/kg), and low oral toxicity (LD₅₀=2.8 g/kg) when tested on rabbits. The product may contain trace amounts of byproducts or impurities, including ethylbenzene and naphthalene, which are known to the State of California to cause cancer.

Section 12: Ecological Information

WATER FOWL TOXICITY
BOD
AQUATIC TOXICITY

No data available for ingredients in this product.

No data available for ingredients in this product.

No data available for ingredients in this product.

Section 13: Disposal Considerations

DISPOSAL METHOD: Dispose of in accordance with all local, state, and Federal regulations.

CONTAINER DISPOSAL: Dispose of in accordance with all local, state, and Federal regulations.

Section 14: Transport Information

DOT Proper shipping name: Motor fuel anti-knock mixture, Class 3, UN1649, PG III, ERG#128 Gallons and less: Consumer Commodity, ORM-D

OCEAN (IMDG): Motor fuel anti-knock mixture, Class 3, UN1649, PG III, Ltd Qty

AIR (IATA): Motor fuel anti-knock mixture, Class 3, UN1649, PG III, ERG#128

WHMIS (CANADA): Class B-2

UN Number: 1649

NAFTA HS Code: 3811.90.0000

Section 15: Regulatory Information

TSCA: All ingredients are listed on the TSCA inventory.

SARA 313: None listed.

CERCLA RQ: NA.

RCRA CODE: NA.

Section 16: Other Information

THIS DOCUMENT IS PREPARED PURSUANT TO THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910. 1200).

LEGEND: ND = Not determined.

NA = Not applicable.

The information provided herein is believed to be accurate and represents the best information currently available. However, Blue Magic, Inc. makes no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and assumes no liability resulting from use of MSDS information.

Date Prepared: May 19, 2008