



1610 N 170 E Ave. Tulsa Oklahoma 74116 Tel: 918-439-4329 Fax. 918-439-4203 Toll-Free 1-888-834-2001 www.tomco-harwel.com; www.summitprochem.com



Safety Data Sheet Clear Ammonia

1. IDENTIFICATION

Synonyms aqua ammonia 5-10% or ammonium hydroxide 5-10%

CAS# 1336-21-6 Europe EC # 215-647-6 Material Use cleaner

IN AN EMERGENCY CALL: INFOTRAC 1-800-535-5053

2. HAZARD IDENTIFICATION

GHS Class skin irritant eye irritant aquatic acute

(Category) (2) (2A) (2) Signal Words WARNING WARNING

Hazard Statements causes skin causes serious toxic to

irritation eye irritation aquatic life
(H315) (H319) (H401)



GHS Precautionary Statements for Labeling

P262, P264 Do not get in eyes. Wash thoroughly after handling.

P270, P280 Do not eat, drink or smoke when using this product. Wear protective gloves of butyl.

P273 Avoid release to the environment.

3.	COMPOSITION	CAS NUMBER	%	TLV ppm	$\mathrm{LD}_{50}\left(mg/kg\right)$ ORAL	LD ₅₀ (mg/kg) SKIN	LC ₅₀ ppm INHALATION
Ammonium Hydroxide		1336-21-6	5-10%	25	350	not known	>2000
Tetrasodium Ethylenediaminetetraacetic Acid		64-02-8	0-1%	not listed	>1780	>5000	not known
Water		7732-18-5	90-95%	not toxic	90,000	not toxic	not toxic

4. FIRST AID

SKIN: Wash with plenty of water. Remove contaminated clothing and do not reuse until laundered. Seek medical help

promptly if there is persistent itching or redness in the affected area.

EYES: Wash eyes with plenty of water, holding eyelids open. Seek medical assistance promptly if irritation persists. INHALATION: Remove from contaminated area promptly. **CAUTION: Rescuer must not endanger himself!** If victim's

breathing stops, administer artificial respiration and seek medical aid promptly.

INGESTION: Give plenty of water to dilute product. Do not induce vomiting (NOTE below). Keep victim quiet. If vomiting

occurs, lower victim's head below hips to prevent inhalation of vomited material. Seek medical help promptly.

NOTE: Corrosive substance: apply first aid immediately! Inadvertent inhalation of vomited material may seriously damage the lungs. The stomach should only be emptied under medical supervision, after the installation of an airway to protect the lungs.

cont'd next page

PLEASE ENSURE THAT THIS SDS IS GIVEN TO, AND EXPLAINED TO PEOPLE USING THIS PRODUCT.



EMERGENCY INFORMATION:

INFOTRAC 1-800-535-5053

FLAMMABILITY & FIRE-FIGHTING

Flash Point cannot burn

Autoignition Temperature ammonia gas ignites above 650° C / 1200° F (after decomposing to $H_2 \& N_2$)

Flammable Limits not flammable

Combustion Products NO₂, ammonium nitrate

Firefighting Precautions as for substances sustaining fire; firefighters must wear SCBA Static Charge Accumulation cannot accumulate a static charge on agitation or pumping

ACCIDENTAL RELEASE MEASURES

Leak Precaution dike to control spillage and prevent environmental contamination

Handling Spill ventilate contaminated area; recover free liquid with explosion-proof pumps; absorb residue on an inert

sorbent, pick up using non-sparking plastic or aluminium shovel, & store in closed containers for disposal

HANDLING & STORAGE

Store in a cool environment. Ensure that containers, empty or full, are tightly sealed if not in use. Wear suitable gloves (see Part 10) before using.

Avoid breathing product vapor. Use with adequate ventilation. If dealing with a spill, arrange good ventilation of premises and wear suitable gloves. Avoid all contact with skin and wash work clothes frequently. An eye bath should be available near the workplace.

EXPOSURE CONTROL & PERSONAL PROTECTION 8.

ACGIH TLV 25ppm **ACGIH STEL** 35ppm **OSHA PEL** 35ppm OSHA STEL not listed

Ventilation no special mechanical ventilation required, but ensure good natural ventilation

Hands butyl or neoprene gloves are best - other types also protect; consult supplier to confirm suitability

Eyes safety glasses with side shields – always protect the eyes

Clothing no special protective clothing required

PHYSICAL AND CHEMICAL PROPERTIES

Odor & Appearance clear, colorless, liquid with strong, penetrating odor of ammonia

Odor Threshold 17ppm

Vapor Pressure 75mmHg / 10kPa (20°C/68°F)

Evaporation Rate not known – *somewhat faster than water*


Vapor Density (air = 1)0.6

Boiling Point $74^{\circ}C / 166^{\circ}F$ Freezing Point $-9.5^{\circ}C / 15^{\circ}F$ Specific Gravity $0.99 (20/20^{\circ}C)$ Water Solubility complete

Log P_{O/w} (Octanol/H₂O Partition Coefficient) 0.23 (ammonium hydroxide) Viscosity 1.1centipoise (20°C / 68°F) 11-12 - strongly alkaline pН

Molecular Weight 17grams/mole (ammonia), 18grams/mole (water)

cont'd next page



10. REACTIVITY

Dangerously Reactive With acids, strong oxidizers

Also Reactive With may corrode aluminum, copper, lead, nickel, silver, tin, zinc and some alloys

Chemical Stability stable; will not polymerize

Decomposes in Presence of not known

Decomposition Products none apart from Hazardous Combustion Products

Mechanical Impact not sensitive

11. TOXICITY INFORMATION

i. ACUTE EXPOSURE

Skin Contact may irritate if not removed promptly
Skin Absorption no; toxic effects unlikely by this route

Eye Contact may be severely irritating, may damage eyes if not rinsed promptly

Inhalation may irritate respiratory system
Ingestion irritating to mouth, throat & stomach

Calculated LD₅₀ (oral) 4670mg/kg (rat)

 LD_{50} (skin) not known – no data available

Calc. LC₅₀ (inhalation) 27,000ppm (rat), 28,450 & 32,550ppm (mouse)

ii. CHRONIC EXPOSURE

General prolonged or repeated exposure to dilute solutions may cause dermatitis

Sensitizing not a sensitizer

Carcinogen/Tumorigen not known to be a tumorigen or a carcinogen in humans or animals

Reproductive Effect no known effect on humans or animals

Mutagen not known to be a mutagen or teratogen in humans or animals

Synergistic With ingestion of 0.01% ammonia may speed the progress of stomach cancer from other causes

12. ECOLOGICAL INFORMATION

Bioaccumulation cannot a bioaccumulate

Biodegradation taken up by plant life; decomposed by soil bacteria – rate not known

Abiotic Degradation reacts with atmospheric carbon dioxide, neutralising to ammonium carbonate

Mobility in soil, water water soluble; moves readily in soil and water

Aquatic Toxicity

LC₅₀ (Fish, 96hr) 0.45mg/litre (Oncorhynchus kisutch), 3.4mg/litre (Lepomis macrochirus),

1-2mg/litre (Ictalurus punctatus, 168hr)

EC₅₀ (Crustacea, 48hr) 0.66mg/litre (Daphnia magna)

EC₅₀ (Algae) no data – at modest concentration, ammonia is a fertilizer which will promote plant growth; at

higher concentrations, ammonia raises pH to toxic values

EC₅₀ (Bacteria) not known

13. DISPOSAL CONSIDERATIONS

Waste Disposal harmless to sewage treatment facility; flush into sewage with water

Containers **Drums** should be reused. Recondition and pressure test by a licensed reconditioner prior to re-use.

Pails must be vented and thoroughly dried prior to crushing and recycling.

IBCs (intermediate bulk containers): polyethylene bottle must be pressure tested & recertified at 30 months. Replace at 60 months (5 years). Steel containers must be inspected, pressure tested & recertified every 5 years.

Warning: never cut, drill, weld or grind on or near this container, even if empty.

cont'd next page

PLEASE ENSURE THAT THIS SDS IS GIVEN TO, AND EXPLAINED TO PEOPLE USING THIS PRODUCT.



EMERGENCY INFORMATION:

INFOTRAC 1-800-535-5053

14. TRANSPORT INFORMATION

USA 49 CFR & Canada/International TDG

Product Identification Number

Shipping Name

Classification

Marine Pollution

Description

Number

UN – not regulated for transport

not regulated for transport

not regulated for transport

not a marine pollutant

ERAP Required No

15. REGULATIONS

Canada DSL on inventory
U.S.A. TSCA on inventory
Europe EINECS on inventory

U.S.A. Regulations:

Immediately Dangerous to Life or Health: 300 ppm / Ammonia/

Allowable Tolerances: Residues of ammonium hydroxide are exempted from the requirement of a tolerance when used as a solvent, cosolvent, neutralizer, or solublizing agent in accordance with good agricultural practices as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops or to raw agricultural commodities after harvest.

Clean Water Act Requirements: Designated as a hazardous substance under section 311(b)(2)(A) of the Federal Water Pollution Control Act and further regulated by the Clean Water Act Amendments of 1977 and 1978. These regulations apply to discharges of this substance.

CERCLA Reportable Quantities: Persons in charge of vessels or facilities are required to notify the National Response Center (NRC) immediately, when there is a release of this designated hazardous substance, in an amount equal to or greater than its reportable quantity of 1000 lb or 454 kg. The toll free number of the NRC is (800) 424-8802; In the Washington D.C. metropolitan area (202) 426-2675. The rule for determining when notification is required is stated in 40 CFR 302.4 (section IV. D.3.b).

FIFRA Requirements: Residues of ammonium hydroxide are exempted from the requirement of a tolerance when used as a solvent, cosolvent, neutralizer, or solublizing agent in accordance with good agricultural practices as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops or to raw agricultural commodities after harvest

FDA Requirements: Ammonium hydroxide used as a general purpose food additive in animal drugs, feeds, and related products is generally recognized as safe when used in accordance with good manufacturing or feeding practice. Substance added directly to human food affirmed as generally recognized as safe.

16. OTHER INFORMATION

Date of Preparation August 2014

Date of Revision

Prepared for Tomco-Harwel, by Peter Bursztyn

With data from the Registry of Toxic Effects of Chemical Substances (RTECS), Hazardous Substance Data Base (HSDB), Cheminfo (CCOHS), OSHA, IUCLID Datasheets (European Chemical Substance Information System - ESIS), & others sources (below if used), as required/available

last page of SDS



