

| Version 11.4 | Revision Date: 08/25/2020 | SDS Nu 132965 | imber: 5-00042 | Date of last issue: 02/26/2020 Date of first issue: 02/27/2017 | | | |
|--------------------------|------------------------------|------------------|--|---|--|--|--|
| SECTIC | N 1. IDENTIFICATION | | | | | | |
| Pro | duct name | : Frec | on™ 134a Au | to (HFC-134a) Refrigerant | | | |
| SD | S-Identcode | : 1300 | 000024024 | | | | |
| Ма | nufacturer or supplier's | details | | | | | |
| Company name of supplier | | : The | : The Chemours Company FC, LLC | | | | |
| Address | | | 1007 Market Street Wilmington, DE 19801 United States of America (USA) | | | | |
| Tel | Telephone | | 1-844-773-CHEM (outside the U.S. 1-302-773-1000) | | | | |
| Emergency telephone | | 773- | Medical emergency: 1-866-595-1473 (outside the U.S. 1-302 773-2000) ; Transport emergency: +1-800-424-9300 (outsic the U.S. +1-703-527-3887) | | | | |
| Re | commended use of the | chemical | and restricti | ons on use | | | |
| Re | commended use | : Refr | igerant | | | | |
| Restrictions on use | | : For | For professional and industrial installation and use only. | | | | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) | | | | | | |
|---|---|--|--|--|--|--|
| Gases under pressure | : | Liquefied gas | | | | |
| Simple Asphyxiant | | | | | | |
| GHS label elements | | | | | | |
| Hazard pictograms | : | | | | | |
| Signal Word | : | Warning | | | | |
| Hazard Statements | : | H280 Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation. | | | | |
| Precautionary Statements | : | Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place. | | | | |



| Version | Revision Date: | SDS Number: | Date of last issue: 02/26/2020 |
|---------|----------------|---------------|---------------------------------|
| 11.4 | 08/25/2020 | 1329655-00042 | Date of first issue: 02/27/2017 |

Other hazards

Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing. Misuse or intentional inhalation abuse may cause death without warning symptoms, due to cardiac effects.

Rapid evaporation of the product may cause frostbite.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substance / Mixture | : Substance |
|---------------------|-----------------------------|
| Substance name | : 1,1,1,2-Tetrafluoroethane |
| CAS-No. | : 811-97-2 |

Components

| Chemical name | CAS-No. | Concentration (% w/w) | | | | |
|----------------------------|----------|-----------------------|--|--|--|--|
| 1,1,1,2-Tetrafluoroethane# | 811-97-2 | >= 99.9 - <= 100 | | | | |
| | | | | | | |

Voluntarily-disclosed non-hazardous substance

SECTION 4. FIRST AID MEASURES

| General advice | : | In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
|---|---|---|
| If inhaled | : | If inhaled, remove to fresh air. Get medical attention if symptoms occur. |
| In case of skin contact | : | Thaw frosted parts with lukewarm water. Do not rub affected area. Get medical attention immediately. |
| In case of eye contact | : | Get medical attention immediately. |
| If swallowed | : | Ingestion is not considered a potential route of exposure. |
| Most important symptoms and effects, both acute and delayed | : | May cause cardiac arrhythmia. Other symptoms potentially related to misuse or inhalation abuse are Cardiac sensitization Anaesthetic effects Light-headedness Dizziness confusion Lack of coordination Drowsiness Unconsciousness Contact with liquid or refrigerated gas can cause cold burns and frostbite. |
| Protection of first-aiders | : | No special precautions are necessary for first aid responders. |



| Versio 11.4 | on | Revision Date: 08/25/2020 | | 9S Number: 29655-00042 | Date of last issue: 02/26/2020 Date of first issue: 02/27/2017 | | |
|----------------|---------------------------------------|---------------------------------|-----|---|---|--|--|
| ١ | Notes to physician | | : | Because of possible disturbances of cardiac rhythm, ca- techolamine drugs, such as epinephrine, that may be used in situations of emergency life support should be used with spe- cial caution. | | | |
| SECT | FION 5. | FIRE-FIGHTING ME | ASU | IRES | | | |
| S | Suitable | extinguishing media | : | Not applicable Will not burn | | | |
| | Jnsuita nedia | ble extinguishing | : | Not applicable Will not burn | | | |
| | Specific hazards during fire fighting | | : | Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure. | | | |
| | Hazardous combustion prod- ucts | | : | Hydrogen fluoride carbonyl fluoride Carbon oxides | | | |
| | Specific ods | extinguishing meth- | : | Use extinguishing measures that are appropriate to local cumstances and the surrounding environment. Fight fire remotely due to the risk of explosion. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area. | | | |
| | | protective equipment ighters | : | Wear self-contain necessary. Use personal prot | ed breathing apparatus for firefighting if ective equipment. | | |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protec- tive equipment and emer- gency procedures | : | Evacuate personnel to safe areas. Avoid skin contact with leaking liquid (danger of frostbite). Ventilate the area. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8). |
|---|---|--|
| Environmental precautions | : | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. |
| Methods and materials for containment and cleaning up | : | Ventilate the area. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET



Freon™ 134a Auto (HFC-134a) Refrigerant

| Version 11.4 | Revision Date: 08/25/2020 | | OS Number: 29655-00042 | Date of last issue: 02/26/2020 Date of first issue: 02/27/2017 |
|-----------------|------------------------------|---|--|--|
| Tech | nical measures | : | | rated for cylinder pressure. Use a backflow vice in piping. Close valve after each use and |
| Local | /Total ventilation | : | Use only with a | dequate ventilation. |
| Advic | e on safe handling | : | practice, based sessment Wear cold insula Valve protection remain in place piped to use poi Use a check val zardous back flo Prevent backflor Use a pressure to lower pressur Close valve afte or force fit conne Prevent the intru Never attempt to Do not drag, slic Use a suitable h Keep away from Take precaution | dance with good industrial hygiene and safety on the results of the workplace exposure as- ating gloves/ face shield/ eye protection. a caps and valve outlet threaded plugs must unless container is secured with valve outlet nt. ve or trap in the discharge line to prevent ha- ow into the cylinder. w into the gas tank. reducing regulator when connecting cylinder re (<3000 psig) piping or systems. or each use and when empty. Do NOT change |
| Cond | litions for safe storage | : | vent falling or be Separate full co Do not store nea Avoid area when Keep in properly Keep in a cool, Keep away from | d be stored upright and firmly secured to pre- eing knocked over. ntainers from empty containers. ar combustible materials. re salt or other corrosive materials are present. / labeled containers. well-ventilated place. of direct sunlight. ance with the particular national regulations. |
| Mate | rials to avoid | : | Self-reactive sul Organic peroxid Oxidizing agents Flammable liqui Flammable solid Pyrophoric liquid Pyrophoric solid Self-heating sub Substances and flammable gase Explosives Acutely toxic su | s ds ds ds ls vstances and mixtures I mixtures which in contact with water emit |



| Vers 11.4 | | Revision Date: 08/25/2020 | | 98 Number: 29655-00042 | Date of last issue: 02/26/2020 Date of first issue: 02/27/2017 |
|--------------|-----------------------|------------------------------|---|---------------------------|---|
| | Recomm perature | nended storage tem- | : | < 126 °F / < 52 °C | ; |
| | Storage | period | : | > 10 y | |
| | Further i age stab | nformation on stor- ility | : | The product has a | an indefinite shelf life when stored properly. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Components | CAS-N | lo. | Value type | Control parame- | Basis | | | | | | |
|---|---|---|--------------------|-----------------------|---------|--|--|--|--|--|--|
| | | | (Form of | ters / Permissible | | | | | | | |
| | 044.07 | | exposure) | concentration | | | | | | | |
| 1,1,1,2-Tetrafluoroethane | 811-97 | -2 | TWA | 1,000 ppm | US WEEL | | | | | | |
| Engineering measures : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. | | | | | | | | | | | |
| Personal protective equipment | | | | | | | | | | | |
| Respiratory protection | : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Wh concentrations are above recommended limits or are unknown, appropriate respiratory protection should be wo Follow OSHA respirator regulations (29 CFR 1910.134) at use NIOSH/MSHA approved respirators. Protection provid by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supp respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection. | | | | | | | | | | |
| Hand protection Material | : Low to | emperat | ure resistant glo | ves | | | | | | | |
| Remarks | on the applic micals manu workc | noose gloves to protect hands against chemicals depending the concentration specific to place of work. For special plications, we recommend clarifying the resistance to che- cals of the aforementioned protective gloves with the glove anufacturer. Wash hands before breaks and at the end of orkday. Breakthrough time is not determined for the pro- ct. Change gloves often! | | | | | | | | | |
| Eye protection | Chem | : Wear the following personal protective equipment: Chemical resistant goggles must be worn. Face-shield | | | | | | | | | |
| Skin and body protection | : Skin s | should b | e washed after o | contact. | | | | | | | |
| Protective measures | : Wear | cold ins | ulating gloves/ fa | ace shield/ eye prote | ction. | | | | | | |

Ingredients with workplace control parameters



| Version 11.4 | Revision Date: 08/25/2020 | | S Number: 29655-00042 | Date of last issue: 02/26/2020 Date of first issue: 02/27/2017 |
|-----------------|--|-----|---|---|
| Hygi | Hygiene measures | | eye flushing syste king place. When using do no | emical is likely during typical use, provide oms and safety showers close to the wor- ot eat, drink or smoke. ed clothing before re-use. |
| SECTION | N 9. PHYSICAL AND CH | EMI | | 5 |
| Арре | earance | : | Liquefied gas | |
| Colo | r | : | colorless | |
| Odo | r | : | slight, ether-like | |
| Odo | r Threshold | : | No data available | 9 |
| pН | | : | No data available | 9 |
| Melti | ing point/freezing point | : | -162 °F / -108 °C | |
| Initia rang | l boiling point and boiling e | : | -15 °F / -26 °C (1,013 hPa) | |
| Flas | h point | : | Not applicable | |
| Evap | poration rate | : | > 1 (CCL4=1.0) | |
| Flam | nmability (solid, gas) | : | Will not burn | |
| Self- | ignition | : | The substance o | r mixture is not classified as pyrophoric. |
| | er explosion limit / Upper mability limit | : | Upper flammabili Method: ASTM E None. | |
| | er explosion limit / Lower mability limit | : | Lower flammabili Method: ASTM E None. | |
| Vapo | or pressure | : | 5,700 hPa (68 °F | 7 / 20 °C) |
| Rela | tive vapor density | : | 3.6 | |
| Rela | tive density | : | 1.208 (77 °F / 25 | °C) |
| Dens | sity | : | 1.21 g/cm³ (77 °f (as liquid) | ⁻ / 25 °C) |



| ersion .4 | Revision Date: 08/25/2020 | | S Number: 29655-00042 | Date of last issue: 02/26/2020 Date of first issue: 02/27/2017 |
|---------------------|--------------------------------|-----|---|--|
| | ility(ies) ater solubility | : | 1.5 g/l(77 °F / 2 | 25 °C) |
| | on coefficient: n- ol/water | : | log Pow: 0.025 | (77 °F / 25 °C) |
| Autoig | nition temperature | : | > 1369 °F / > 74 | 3 °C |
| Decor | mposition temperature | : | No data availab | le |
| Viscos Vis | sity scosity, kinematic | : | Not applicable | |
| Explo | sive properties | : | Not explosive | |
| Oxidiz | ing properties | : | The substance of | or mixture is not classified as oxidizing. |
| Partic | le size | : | Not applicable | |
| CTION | 10. STABILITY AND RE | EAC | ΤΙVITY | |
| React | ivity | | Not classified as | s a reactivity hazard. |
| Chemical stability | | : | Stable if used as directed. Follow precautionary advice a avoid incompatible materials and conditions. | |
| Possil tions | bility of hazardous reac- | : | Can react with s | trong oxidizing agents. |
| Conditions to avoid | | : | 100 °C (212 °F) of this substance pressure and/or presence of an i come combustik gen concentration containing this s gen enriched att the inter-relation and 3) the propo- substance shou mospheric press enriched environ | is not flammable in air at temperatures up to at atmospheric pressure. However, mixtures e with high concentrations of air at elevated temperature can become combustible in the gnition source. This substance can also be- ble in an oxygen enriched environment (oxy- ons greater than that in air). Whether a mixtu- substance and air, or this substance in an ox- mosphere become combustible depends on aship of 1) the temperature 2) the pressure, ortion of oxygen in the mixture. In general, the ld not be allowed to exist with air above at- sure or at high temperatures; or in an oxygen ment. For example this substance should with air under pressure for leak testing or oth |

Heat, flames and sparks.

| Incompatible materials | : | Oxidizing agents |
|----------------------------------|---|--|
| Hazardous decomposition products | : | No hazardous decomposition products are known. |



| rsion .4 | Revision Date: 08/25/2020 | SDS Number: 1329655-00042 | Date of last issue: 02/26/2020 Date of first issue: 02/27/2017 |
|------------------|--|------------------------------|---|
| CTION | 11. TOXICOLOGICA | L INFORMATION | |
| Inhala Skin c | nation on likely rout ation contact ontact | es of exposure | |
| Acute | e toxicity | | |
| | assified based on ava | ailable information. | |
| <u>Comp</u> | oonents: | | |
| | 2-Tetrafluoroethane | | |
| Acute | oral toxicity | : Assessment: icity | The substance or mixture has no acute oral to |
| Acute | inhalation toxicity | Exposure tim Test atmosp | |
| | | Test atmosp | adverse effect concentration (Dog): 40000 pp here: gas ardiac sensitization |
| | | ppm Test atmospl | rved adverse effect concentration (Dog): 8000 here: gas May cause cardiac arrhythmia. |
| | | Test atmosp | sitisation threshold limit (Dog): 334,000 mg/m³ here: gas May cause cardiac arrhythmia. |
| Acute | dermal toxicity | : Assessment: toxicity | The substance or mixture has no acute derma |

Not classified based on available information.

Components:

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

1,1,1,2-Tetrafluoroethane:

Result : No eye irritation



| Version 11.4 | Revision Date: 08/25/2020 | SDS Number: 1329655-00042 | Date of last issue: 02/26/2020 Date of first issue: 02/27/2017 |
|-------------------------|---|---|---|
| Resp | iratory or skin sensi | tization | |
| - | sensitization lassified based on ava | ailable information. | |
| - | iratory sensitization lassified based on ava | | |
| Com | oonents: | | |
| 1,1,1, | 2-Tetrafluoroethane | : | |
| Route Resul | es of exposure It | : Skin contact : negative | |
| Route Speci Resul | | : Inhalation : Rat : negative | |
| Route Speci Resul | | : Inhalation : Humans : negative | |
| Not c | a cell mutagenicity lassified based on ava | ailable information. | |
| | oonents: | | |
| | 2-Tetrafluoroethane toxicity in vitro | : Test Type: Bac | terial reverse mutation assay (AMES) Test Guideline 471 e |
| | | | omosome aberration test in vitro Test Guideline 473 e |
| Geno | toxicity in vivo | cytogenetic ass Species: Mous Application Roo | e ute: inhalation (gas) 9 Test Guideline 474 |
| | | mammalian live Species: Rat Application Rot | ute: inhalation (gas) Test Guideline 486 |
| | cell mutagenicity - ssment | : Weight of evide cell mutagen. | ence does not support classification as a germ |

Carcinogenicity

Not classified based on available information.

_



Freon[™] 134a Auto (HFC-134a) Refrigerant

| Version 11.4 | | | br:Date of last issue: 02/26/2020042Date of first issue: 02/27/2017 | |
|-----------------|--|--|---|--|
| Com | oonents: | | | |
| 1,1,1, | 2-Tetrafluoroethane: | | | |
| | cation Route sure time od | : Rat : inhalation : 2 Years : OECD T : negative | est Guideline 453 | |
| Carci ment | nogenicity - Assess- | : Weight c cinogen | f evidence does not support classification as a car- | |
| IARC | IARC No ingredient of this product present at levels greater than o identified as probable, possible or confirmed human carcinog | | | |
| OSH | OSHA No component of this product present at levels greater than or equal to 0 on OSHA's list of regulated carcinogens. | | | |
| NTP | | | ct present at levels greater than or equal to 0.1% is ticipated carcinogen by NTP. | |
| - | oductive toxicity lassified based on avail | able informatic | ın. | |
| Com | <u>oonents:</u> | | | |
| | 1,1,1,2-Tetrafluoroethane: Effects on fertility | | Mouse on Route: Inhalation legative | |
| Effec | Effects on fetal development | | e: Combined repeated dose toxicity study with the tion/developmental toxicity screening test Rabbit on Route: inhalation (gas) | |

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Result: negative

Method: OECD Test Guideline 414

STOT-single exposure

Not classified based on available information.

Components:

1,1,1,2-Tetrafluoroethane:

| Routes of exposure | : | inhalation (gas) |
|--------------------|---|---|
| Assessment | : | No significant health effects observed in animals at concentra- |
| | | tions of 20000 ppmV/4h or less |

STOT-repeated exposure

Not classified based on available information.



| ersion 1.4 | Revision Date: 08/25/2020 | SDS Number:Date of last issue: 02/26/21329655-00042Date of first issue: 02/27/2 | | |
|--|---|--|--------------------|--|
| Com | oonents: | | | |
| Route | 2-Tetrafluoroethane es of exposure ssment | inhalation (gas) No significant health effects observed in anir tions of 250 ppmV/6h/d or less. | nals at concentra- | |
| Repe | ated dose toxicity | | | |
| Com | oonents: | | | |
| Speci NOAI LOAE Applie | EL EL cation Route sure time | Rat, male and female 50000 ppm >50000 ppm inhalation (gas) 2 y OECD Test Guideline 453 | | |
| • | ration toxicity | ble information | | |
| | oonents: | | | |
| 1,1,1,2-Tetrafluoroethane: No aspiration toxicity classification | | | | |

Ecotoxicity

Components:

| 1,1,1,2-Tetrafluoroethane: | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 450 mg/l Exposure time: 96 h Method: Regulation (EC) No. 440/2008, Annex, C.1 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 980 mg/l Exposure time: 48 h Method: Regulation (EC) No. 440/2008, Annex, C.2 |
| Toxicity to algae/aquatic plants | : | ErC50 (green algae): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |

Persistence and degradability

Components:

| 1,1,1,2-Tetrafluoroethane: | | |
|----------------------------|---|--|
| Biodegradability | : | Result: Not readily biodegradable. Method: OECD Test Guideline 301D |



| Version 11.4 | Revision Date: 08/25/2020 | | DS Number: 29655-00042 | Date of last issue: 02/26/2020 Date of first issue: 02/27/2017 | | |
|-----------------|--|---|---------------------------|---|--|--|
| Bioa | ccumulative potential | | | | | |
| <u>Com</u> | ponents: | | | | | |
| | 1,1,1,2-Tetrafluoroethane: Bioaccumulation | | Remarks: Bioacc | umulation is unlikely. | | |
| | Partition coefficient: n- octanol/water | | log Pow: 1.06 | | | |
| | Mobility in soil No data available | | | | | |
| | Other adverse effects No data available | | | | | |
| SECTION | SECTION 13. DISPOSAL CONSIDERATIONS | | | | | |
| Disp | osal methods | | | | | |
| Was | te from residues | : | Dispose of in acc | ordance with local regulations. | | |
| Cont | aminated packaging | : | | s should be taken to an approved waste ecycling or disposal. | | |

Empty pressure vessels should be returned to the supplier. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

| UNRTDG UN number Proper shipping name Class Packing group Labels | | UN 3159 1,1,1,2-TETRAFLUOROETHANE 2.2 Not assigned by regulation 2.2 |
|---|---|---|
| IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft) | - | UN 3159 1,1,1,2-Tetrafluoroethane 2.2 Not assigned by regulation Non-flammable, non-toxic Gas 200 200 |
| IMDG-Code UN number Proper shipping name | : | UN 3159 1,1,1,2-TETRAFLUOROETHANE |



| Version | Revision Date: | SE | DS Number: | Date of last issue: 02/26/2020 | | | |
|--|-----------------------|------------------------------|------------------|---------------------------------|--|--|--|
| 11.4 | 08/25/2020 | 13 | 29655-00042 | Date of first issue: 02/27/2017 | | | |
| | | | | | | | |
| Class | 6 | : | 2.2 | | | | |
| Packing group Labels EmS Code | | : Not assigned by regulation | | | | | |
| | | : | 2.2 | | | | |
| | | : | F-C, S-V | | | | |
| Marine pollutant | | : | no | | | | |
| Tran | sport in bulk accordi | na to | Annex II of MAR | POL 73/78 and the IBC Code | | | |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | | | | | | | |
| Not applicable for product as supplied. | | | | | | | |
| Dom | estic regulation | | | | | | |
| 49 C | FR | | | | | | |
| UN/II | D/NA number | : | UN 3159 | | | | |
| Prop | er shipping name | | 1,1,1,2-Tetraflu | oroethane | | | |
| · | | | | | | | |
| Class | 3 | : | 2.2 | | | | |
| Pack | ing group | : | Not assigned by | regulation | | | |
| Labe | ls | : | NON-FLAMMA | BLEGAS | | | |
| 500 | 0 | | 400 | | | | |

| UN/ID/NA number | : | UN 3159 |
|----------------------|---|----------------------------|
| Proper shipping name | : | 1,1,1,2-Tetrafluoroethane |
| | | |
| Class | : | 2.2 |
| Packing group | : | Not assigned by regulation |
| Labels | | NON-FLAMMABLE GAS |
| ERG Code | : | 126 |
| Marine pollutant | : | no |
| | | |

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.


| SARA 311/312 Hazards | Gases under pressure Simple Asphyxiant |
|----------------------------|---|
| SARA 313 : | This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |
| US State Regulations | |
| Pennsylvania Right To Know | |
| 1,1,1,2-Tetrafluoroetha | ane 811-97-2 |

International Regulations

Montreal Protocol

: 1,1,1,2-Tetrafluoroethane





Freon[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

| US WEEL | : | USA. Workplace Environmental Exposure Levels (WEEL) |
|---------------|---|---|
| US WEEL / TWA | : | 8-hr TWA |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable



| Version | Revision Date: | SDS Number: | Date of last issue: 02/26/2020 |
|---------|----------------|---------------|---------------------------------|
| 11.4 | 08/25/2020 | 1329655-00042 | Date of first issue: 02/27/2017 |

Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

| : | Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/ |
|---|--|
| | |
| | : |

Revision Date : 08/25/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8