

# SAFETY DATA SHEET

Version 6.8 Revision Date 09/06/2024 Print Date 09/07/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Sodium acetate trihydrate

Product Number : 236500 Brand : SIGALD CAS-No. : 6131-90-4

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

# 2.2 GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SIGALD - 236500

Page 1 of 10



### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Synonyms : Acetic acid sodium salt

Formula :  $C_2H_3NaO_2 \cdot 3H_2O$ Molecular weight : 136.08 g/molCAS-No. : 6131-90-4FC-No. : 204-823-8

No components need to be disclosed according to the applicable regulations.

#### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

SIGALD - 236500

Page 2 of 10



## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Sodium oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

### **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

Tightly closed. Dry.

### Storage class

Storage class (TRGS 510): 11: Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD - 236500



## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

## **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

## Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

## **Respiratory protection**

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains.

SIGALD - 236500

Page 4 of 10

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Color: white

b) Odorc) Odor Thresholddata available

d) pH 8.5 - 10 at 408 g/l at 25 °C (77 °F)

e) Melting point/ range: 57.9 °C (136.2 °F)

f) Initial boiling point and boiling range

point/freezing point

No data available

g) Flash point ()Not applicableh) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure No data availablel) Vapor density No data available

m) Density 1.45 g/cm3 at 20 °C (68 °F)

Relative density No data available

n) Water solubility 408 g/l at 20 °C (68 °F) - completely soluble

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition N

temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

## 9.2 Other safety information

No data available

SIGALD - 236500 Page 5 of 10

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Risk of explosion with:

nitrates

Exothermic reaction with:

Fluorine

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

Acute toxicity estimate Oral - 2,700 mg/kg

(Calculation method)

LD50 Oral - Rat - male and female - 2,700 mg/kg

(OECD Test Guideline 401)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium acetate

Acute toxicity estimate Inhalation - 4 h - 5.25 mg/l - dust/mist(Calculation method)

LC50 Inhalation - Rat - male and female - 4 h - > 5.6 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium acetate

LD50 Dermal - Rabbit - female - > 20,000 mg/kg

(OECD Test Guideline 402)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium acetate

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

SIGALD - 236500

Millipore

(OECD Test Guideline 404) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium acetate

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h (OECD Test Guideline 405) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium acetate

### Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium Metabolic activation: Metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium acetate

Test Type: in vivo assay

Species: Mouse Cell type: sperm Application Route: Oral

Result: negative Remarks: (ECHA) (anhydrous substance)

The value is given in analogy to the following substances: sodium acetate

## Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## Aspiration hazard

No data available

#### 11.2 Additional Information

RTECS: AJ4580000

SIGALD - 236500

Millipore Sigma Abdominal pain, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium

acetate

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l  $\,$  - 48 h

(OECD Test Guideline 202)

invertebrates Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium

acetate

Toxicity to algae ErC50 - Skeletonema costatum - > 1,000 mg/l - 72 h

(ISO 10253)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium

acetate

Toxicity to bacteria static test EC50 - Pseudomonas putida - 7,200 mg/l - 16 h

(DIN 38 412 Part 8)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: sodium

acetate

## 12.2 Persistence and degradability

Biodegradability aerobic Dissolved organic carbon (DOC) - Exposure time 28 d

Result: 99 % - Readily biodegradable.

(Regulation (EC) No. 440/2008, Annex, C.4-A)

Remarks: The value is given in analogy to the following substances:

sodium acetate

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SIGALD - 236500

Page 8 of 10



## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

## DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SIGALD - 236500

Page 9 of 10



**SARA 313** : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

## **US State Regulations**

## **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

## **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

## **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

## **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8 Revision Date: 09/06/2024 Print Date: 09/07/2024

SIGALD - 236500

