



North America's Leader in Hazardous Material Information Management
1905 Aston Avenue, Carlsbad, CA 92008
Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 03/02/2009
To: MSDS Requester
From: 3E Company
Subject: The MSDS you have requested

MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Parks Corporation
Product Name: Gum Turpentine

MATERIAL SAFETY DATA SHEET
 (Approved by U.S. Department of Labor "Essentially Similar" to Form LSB-OOS-4)

PARKS

Section I

MANUFACTURER'S NAME		CHEMICAL NAME & SYNONYMS	
PARKS CORPORATION		GUM TURPENTINE	
STREET ADDRESS		CHEMICAL FAMILY	
One West Street		TERPENES	
CITY, STATE, AND ZIP CODE		TRADE NAME	
Fall River, MA 02720		GUM TURPENTINE	
EMERGENCY TELEPHONE NO		FORMULAS	
(508) 679-5938		C ₁₀ H ₁₆	
		04/05/94	

Section II — HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS				PPM		PEI
PIGMENTS	%	TLV (Units)	SOLVENTS	CAS NO	%	TLV (Units)
N.A.			Turpenes (Turpentine Gum)	8006-64-2	100	100
CATALYST						
N.A.						
VEHICLE			ADDITIVES & OTHERS			
N.A.			N.A.			
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES					%	TLV (Units)
NONE						

Section III — PHYSICAL DATA

BOILING POINT (°F)	307 - 347°F	SPECIFIC GRAVITY (H ₂ O = 1)	.860 - .875
VAPOR PRESSURE (mm Hg) @ 77°F	4.4	PERCENT VOLATILE BY VOLUME (%)	100
VAPOR DENSITY (AIR = 1)	Heavier	EVAPORATION RATE (ETHER = 1)	Less than 1
SOLUBILITY IN WATER	NIL		
APPEARANCE AND ODOR	Clear, Characteristic Pine-Type Odor		

Section IV — FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED)	TAG CC 105°F	FLAMMABLE LIMITS	Lel: 0.8	Uel:
EXTINGUISHING MEDIA	Water Spray, Foam, Dry Chemical and Carbon Dioxide.			
SPECIAL FIRE FIGHTING PROCEDURES	Use procedure for flammable liquids; water may be ineffective. Use self-contained breathing apparatus.			
UNUSUAL FIRE AND EXPLOSION HAZARDS	Self-ignition temperature - 488°F			

Section V — HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE	See Section II
EFFECTS OF OVEREXPOSURE	Liquid defats skin with prolonged use. May cause eye irritation. Excessive inhalation causes nausea, headache and dizziness. Remove to fresh air and call physician.

CONTINUED ON PAGE 2

EMERGENCY AND FIRST AID PROCEDURES

High vapor concentration should be avoided. For SKIN exposure - wash with soap and water. EYES - flush with water for fifteen minutes. Contact physician. INHALATION - remove affected person from contaminated area to fresh air. Obtain services of a physician immediately.

Section VI — REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	Heat, sparks, fire and open flame.
INCOMPATIBILITY (Materials to Avoid) Strong oxidizing agents and peroxides			
HAZARDOUS DECOMPOSITION PRODUCTS CO, CO ₂			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	N.A.

Section VII — SPILL OR LEAK PROCEDURES**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

Flush with water into retaining area or container. Avoid exposure to sparks, fire, flame or hot metal surfaces. Ventilate enclosed spaces. Avoid breathing vapors. Keep spill from public sewers, streams and waterways. Large spills can be taken on sand, clay, earth, floor absorbent and shovelled into containers for disposal.

WASTE DISPOSAL METHOD

Dispose by supervised incineration or dispose in compliance with local, state and federal regulations.

Section VIII — SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specific Type) Self-contained breathing apparatus for concentrations above TLV limits.		
VENTILATION	LOCAL EXHAUST Yes	SPECIAL Adequate ventilation
	MECHANICAL (General) Explosion-Proof ventilation	OTHER NO SMOKING
PROTECTIVE GLOVES Impermeable	EYE PROTECTION Eye Goggles	
OTHER PROTECTIVE EQUIPMENT: Apron. Eye bath and safety shower.		

Section IX — SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Keep container closed. Keep from heat, sparks and open flame. Use with adequate ventilation.

OTHER PRECAUTIONS

Avoid breathing vapors. Avoid prolonged or repeated contact with skin. Remove contaminated clothing and wash before re-use. Wash skin with soap and water after contact.