

02 - 0188

AUG 2 5 1988

02071-007

AEROSOL MATERIAL SAFETY DATA SHEET

EMERGENCY PHONE (800)745-1140

HAZARD	HEALTH	HAZARD	HAZARD
1	1	4	4
FLAMMABILITY	TOXICITY	REACTIVITY	PHYSICAL
1	1	1	1

CHEMICAL PACKAGING CORPORATION
 P.O. BOX 594, FT. LAUDERDALE, FL 33408
 MADE IN U.S.A. WITH OTHER MATERIALS
 CONTAINED THEREIN. THIS PRODUCT IS NOT TO BE
 REUSED FOR OTHER PURPOSES. THIS PRODUCT
 CONTAINS SUBSTANCES KNOWN TO BE
 HARMFUL OR IRRITANT TO MAN AT CERTAIN
 DOSE LEVELS.

PRODUCT NAME: DELT DRESSING 792 IDENTIFICATION: AEROSOL CONTAINER
 DATE PREPARED: NOVEMBER 10, 1982
 PREPARED BY: [Signature]

PRINCIPLE HAZARDOUS COMPONENT(S) (CHEMICAL NAMES): 1,1,1 TRICHLOROETHANE
 MINERAL SPIRITS
 POLYBUTENE POLYMER

CONCENTRATION	OSHA PEL	TLV	REL	A. PROC. CONT.
71-85-6	350	350	350	<0.2% V/L
67-71-52-7	LS	LS	LS	
6309-22-6	N.D.	N.D.	N.D.	

III - PHYSICAL DATA

BOILING POINT (°F)	169°F - 409°F	SPECIFIC GRAVITY (79°F) (1) @ 75°F	1.14
OF CONCENTRATE			
VAPOR PRESSURE (psig)	50	% VOLATILE BY VOLUME IN C.M.I.	0.3
IN CAN @ 75°F			
VAPOR DENSITY	N.D.	FLASH POINT OF CONCENTRATE	N.D.
SOLUBILITY IN WATER	SLIGHT	APPEARANCE AND ODOR OF SPRAY	W/OD
OF CONCENTRATE		CLEAR WHITE LIQUID / SWEETISH ODOR	

FLAMMABILITY as per CPSC FLAME EXTENSION TEST
 EXTERNALLY FLAMMABLE SPRAY

EXTINGUISHING MEDIA
 FOAM, DRY CHEMICAL, CARBON DIOXIDE

SPECIAL FIRE FIGHTING PROCEDURES
 KEEP CONTAINERS COOL. USE EQUIPMENT OR METHODS RECOMMENDED TO PROTECT PERSONNEL. AVOID BREATHING VAPORS. WEAR SELF-CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE AND EXPLOSION HAZARDS
 AT ELEVATED TEMPERATURES ABOVE 120°F CONTAINERS MAY VENT, RUPTURE OR BURST.

V - REACTIVITY DATA

CHEMICAL	UNSTABLE	CONDITIONS TO AVOID
STABILITY	STABLE	DO NOT EXPOSE TO TEMPERATURES ABOVE 120°F.
INCOMPATIBILITY (Materials to avoid)	XX	STRONG OXIDIZERS, ALUMINUM AND OTHER REACTIVE METALS.
HAZARDOUS DECOMPOSITION PRODUCTS		
AT ABNORMAL HIGH TEMPERATURES POSSIBLE TRACE AMOUNTS OF PHOSGENE.		
HAZARDOUS POLYMERIZATION	MAY OCCUR	CONDITIONS TO AVOID
WILL NOT OCCUR	XX	NONE

AEROSOL PRODUCTS PRESENT A LIMITED HAZARD DURING STORAGE ON USE IF LABEL PRECAUTIONS ARE FOLLOWED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND REINHALING THE CONTENTS CAN BE HARMFUL. ON INHALATION, PROLONGED CONTACT WITH EYES MAY NOT BE EFFECTIVE. IF TEMPERATURES ABOVE 120°F AND STORAGE CONTAINER IS BURST, CONTACT WITH FACE OR EYES CAN OPEN PLACE ON OTHER PLACES OF EXPOSURE.

V - HEALTH HAZARD DATA

ROUTE(S) OF EXPOSURE:	INHALATION	SKIN	PRIMARY	INGESTION
EFFECTS OF OVER EXPOSURE:	ACUTE AND CHRONIC			
IRITATION:	MINIMAL EFFECTS BELOW 1000 PPM. DIZZINESS, DROWSINESS AND TIREDNESS AT LEVELS ABOVE 1000 PPM. BLOOD PRESSURE DECREASES. BRONCHITIS, VENTRICULAR ARRHYTHMIA CAN RESULT FROM EXPOSURE TO HIGH AMBIENT LEVELS (5000 PPM).			
SKIN CONTACT / ABSORPTION:	PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION, DEBRITING AND DEBRITING.			
INGESTION:	CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA. ASPIRATION OF MATERIAL INTO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS.			
EYES:	CAN CAUSE SEVERE IRRITATION, REDNESS, TEARRING AND BLURRED VISION.			
CHRONICITY:	NO	NIPT?	NO	OSHA REGULATED?
EMERGENCY AID FIRST AID PROCEDURES:	FLUSH EYES WITH WATER, LIFTING UPPER AND LOWER LIDS. GET MEDICAL ATTENTION. WASH EXPOSED SKIN AREAS WITH SOAP AND WATER.			
IRITATION:	REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. IF BREATHING STOPS, GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION.			
INGESTION:	DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS.			
STEPS TO BE TAKEN IN CASE CONTAINER IS PUNCTURED AND MATERIAL IS LEAKING:	VII - PRECAUTIONS FOR SAFE HANDLING AND USE CLEAN UP AREA BY MOPPING OR WITH ABSORBENT MATERIALS AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. CONTACT FEDERAL, STATE OR LOCAL AUTHORITIES FOR APPROVED DISPOSAL PROCEDURES.			
WASTE DISPOSAL METHOD:	WHEN USED PROPERLY AEROSOL PRODUCTS DO NOT GENERATE HAZARDOUS WASTE. EMPTY CONTAINERS SHOULD BE RECYCLED OR REUSED. STATE AND LOCAL DISPOSAL AUTHORITY FOR APPROVED PROCEDURES.			
SPECIAL PERSONAL PROTECTIVE EQUIPMENT:	VIII - SPECIAL PROTECTION INSTRUCTIONS			
RESPIRATORY:	APPROVED ORGANIC TYPE RESPIRATOR ACCEPTABLE IF CONCENTRATION IS 350-1000 PPM.			
EYES:	CHEMICAL SPLASH GOGGLES IN COMPLIANCE WITH OSHA REGULATIONS.			
SKIN:	PROTECTIVE GLOVES: NITRILE, BUTYL RUBBER OR POLYVINYL CHLORIDE.			
OTHER:	DO NOT EAT, DRINK OR SMOKE IN WORK AREA. WASH HANDS BEFORE EATING.			

VENTILATION REQUIREMENTS:
 PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL EXHAUST VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(T))

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:
 DO NOT STORE AT TEMPERATURES ABOVE 120°F.

SPECIAL PRECAUTIONARY STATEMENTS:
 PLEASE READ AND FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL. THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE WAY, AND THEY ALSO GIVE THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.

NOTICE: WE BELIEVE THAT THE INFORMATION CONTAINED ON THIS MATERIAL SAFETY DATA SHEET IS ACCURATE. THE SOURCE OF THIS INFORMATION IS THE MANUFACTURER'S EXPERIENCE AS OF THE DATE OF PUBLICATION. THE COMPANY MAKES NO REPRESENTATION OR WARRANTY AS TO THE ACCURACY OF THE INFORMATION CONTAINED HEREIN. THE COMPANY WILL NOT BE RESPONSIBLE FOR ANY ERRORS OR OMISSIONS. THE COMPANY WILL NOT BE RESPONSIBLE FOR ANY ERRORS OR OMISSIONS. THE COMPANY WILL NOT BE RESPONSIBLE FOR ANY ERRORS OR OMISSIONS.