

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): STAINLESS STEEL CLEANER POLISH

Product Number: 6310

Product Division: **Janitorial**

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, OH 43537 Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Limited Quanity

NFPA Ratings:	HMIS Ratings:
Health: 1- Slight	Health: 1- Slight
Fire: 2 - Moderate	Fire: 2 - Moderate
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
·	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing

on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

					9011031	
			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Mineral seal oil	15-20	64742-06-9	Not Established	Not Established	Not Established	No
Propane	5-10	74-98-6	1800 (OSHA)	Not Established	Not Established	No
Odorless mineral spirits	5-10	8052-41-3	2900 (OSHA)	Not Established	1800 (NIOSH)	No
-	-	-	525 (ÀCGIH)	-	`-	-
Isobutane	1-5	75-28-5	1800 (ACGIH)	Not Established	Not Established	No
Dimethyl polysiloxanes	1-5	9016-00-6	Not Established	Not Established	Not Established	No
Isopropyl alcohol	1-5	67-63-0	980	1225	Not Established	No
Polyglycerol oleate	1-5	9007-48-1	Not Established	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point: N/A	Vapor Pressure: Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water: Emulsifiable
pH: 8.0-9.0	Specific Gravity (H ₂ O=1): Concentrate: 0.94
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 7-9
Physical State: Aerosol can (pressurized liquid)	
Appearance & Odor: Creamy liquid, lemon fragrance	

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: 300°F	Method Used: ASTM-D56		
Flammable Limits: Not Established	Flame Extension: 0 inches NFPA 30B Level 1 Aerosol		
Extinguishing Media: Water fog, Carbon did	Water fog, Carbon dioxide, Dry chemical.		
Special Fire Fighting Procedures: Water may be used to	Water may be used to cool closed containers to prevent pressure build-up and possible venting or rupturing when exposed to extreme heat. Wear NIOSH approved self-contained breathing apparatus and		
	: Material gives off vapors which may travel along the ground and be ignited by pilot lights or other sources of ignition. At elevated temperatures (over 120° F / 49° C) containers may vent, rupture or burst.		

Threshold Limit Value:	Not Established		Primary Routes of	Entry: Inhalation, Skin Contact, Eyes &	
Effects of Overexposure-	May cause Eye Irritation May Cause Skin Irritation May Cause Respiratory I coughing, nausea and he contents may be harmful May be Harmful if Swallo	n: Symptoms in Irritation: Inha eadache. Inter or fatal. owed. and skin. Avo	nay include pain, rednes may include redness, pa lation of vapors may cau national misuse by deliber	s and swelling of the conjunctiva.	
Conditions Aggravated by Use:			existing skin; eye and res	piratory disorders including asthma and	
	dermatitis.				
		r at least 15 mi	nutes. Remove contact	lenses. Get medical attention.	
Skin:		ap and water.	Get medical attention if	irritation persists.	
Ingestion:	zenetmaase terming.	Call a physicia	n immediately.		
Inhalation:	Move person to fresh air;	, . Get medica	attention if irritation per	sists.	
SECTION VI: REACTIVITY DATA Stability:	Stable		Incompatible Mate	erials: Avoid contact with strong oxidizin agents; strong alkalis and strong mineral acids.	
Hazardous Decomposition Products:	Burning can produce carb monoxide, carbon dioxide phosgene gas.	on and	Hazardous Polymeriz		
Material is Released or Spilled:	accordance with all local	, state and fed	eral regulations.	·	
Waste Disposal Method:	Do not puncture or incine channels.	Do not puncture or incinerate aerosol containers. Empty containers may be disposed of through normal channels.			
SECTION VIII: SPECIAL PROTECTION	ON INFORMATION				
Respiratory Protection:		ratory irritation	occurs, use of a NIOSH	 However, if exposure limits (see Secti approved respirator suitable for the d. 	
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.				
	Wear rubber or other impervious gloves for prolonged or repeated contact.				
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.				
Other Protective Equipment:	See 29 CFR 1910.132-1	38 for further re	eference.		
ECTION IX: SPECIAL PRECAUTION					
Precautions; Handling & Storing:		nt or above 120		oduct near heat, sparks or open flame. I may cause container to burst. Wash	
Other Precautions:					
	Meeh out of feach of Child	JICII.			
© SCC 10/17/2014 STAINLESS STEEL CLEANER POLISH	Name: Ronald and Effective Date: 10/17/20		Title: Supercedes:	Manager, Regulatory Affairs 10/16/2014	

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.