

Revision date : 2016/05/13 Version: 3.0 Page: 1/10 (30160087/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Ammonium chloride AF animal feed grade

Recommended use of the chemical and restriction on use

Recommended use*: Raw material; auxiliary; inorganic salts; flavours

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Molecular formula:	NH(4)CL
Synonyms:	Ammonium chloride

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Aquatic Acute	3	Hazardous to the aquatic environment - acute

Label elements

Pictogram:

Revision date : 2016/05/13 Version: 3.0

Page: 2/10 (30160087/SDS_GEN_US/EN)

|--|

Signal Word: Warning

Hazard Statement: H319 H302 H402	Causes serious eye irritation. Harmful if swallowed. Harmful to aquatic life.	
Precautionary Stateme		
P280	Wear eye/face protection.	
P273 P270	Avoid release to the environment. Do not eat, drink or smoke when using this product.	
P264	Wash with plenty of water and soap thoroughly after handling.	
Precautionary Stateme P312 P305 + P351 + P338 P301 + P330 P337 + P311		
Precautionary Statements (Disposal):		
P501	Dispose of contents/container to hazardous or special waste collection	

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
12125-02-9	> 99.0%	ammonium chloride

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.

If on skin:

Wash thoroughly with soap and water. If symptoms persist, seek medical advice.

Revision date : 2016/05/13 Version: 3.0

If in eyes:

Flush with copious amounts of water for at least 15 minutes. Seek medical attention.

If swallowed:

Rinse mouth immediately and then drink plenty of water, seek medical attention.

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, vomiting, lethargy, confusion, hyperventilation, nausea, headache

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, water spray, dry powder

Special hazards arising from the substance or mixture

Hazards during fire-fighting: No particular hazards known.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. In case of fire and/or explosion do not breathe fumes. Large quantities of extinguishing water containing dissolved product should be contained. Contaminated extinguishing water must be disposed of in accordance with official regulations.

Impact Sensitivity:

Remarks:

Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Use personal protective clothing.

Environmental precautions

Do not empty into drains.

Revision date : 2016/05/13 Version: 3.0 Page: 4/10 (30160087/SDS_GEN_US/EN)

Do not discharge into drains/surface waters/groundwater. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. For large amounts: Sweep/shovel up. Avoid raising dust.

7. Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Keep the formation and deposition of dust to a minimum.

Protection against fire and explosion: See MSDS section 5 - Fire fighting measures.

Conditions for safe storage, including any incompatibilities

Segregate from alkalies and alkalizing substances. Segregate from nitrites. Segregate from oxidants. Do not store with: Sodium nitrate

Further information on storage conditions: Protect against moisture.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

ammonium chloride	OSHA PEL	STEL value 20 mg/m3 fumes/smoke ; TWA
		value 10 mg/m3 fumes/smoke ;
	ACGIH TLV	TWA value 10 mg/m3 fumes/smoke ; STEL
		value 20 mg/m3 fumes/smoke ;

Advice on system design:

Provide local exhaust ventilation to control dust.

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear a NIOSH-certified (or equivalent) particulate respirator.

Hand protection:

Chemical resistant protective gloves, Suitable materials, rubber, plastic

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

Revision date : 2016/05/13 Version: 3.0

Page: 5/10 (30160087/SDS_GEN_US/EN)

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Handle in accordance with good industrial hygiene and safety practice. Avoid inhalation of dusts. When using, do not eat, drink or smoke. Contaminated equipment or clothing should be cleaned after each use or disposed of.

9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value:	crystalline, powder almost odourless not applicable, odour not perceivable white 4.7 (200 g/l, 25 °C)	(DIN ISO 976)
Melting point:	338 °C The substance / product decomposes. Literature data.	
boiling temperature:	The substance / product decomposes therefore not determined.	
Sublimation point:	338 °C The substance / product decomposes.	
Flash point:	not applicable	
Flammability:	not flammable	(other)
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Autoignition:	The substance / product decomposes therefore not determined.	
Density:	1.53 g/cm3 (25 °C) Literature data.	
Bulk density:	600 - 900 kg/m3	(DIN ISO 697)
Partitioning coefficient n- octanol/water (log Pow):	The value has not been determined because the substance is inorganic.	
Self-ignition temperature:	not applicable	
	not self-igniting	
Thermal decomposition:	To avoid thermal decomposition, do not	overheat.
Viscosity, dynamic:	not applicable	
Solubility in water:	372 g/l (20 °C) Literature data.	
Evaporation rate:	The product is a non-volatile solid.	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Oxidizing properties: Based on its structural properties the product is not classified as oxidizing.

Revision date : 2016/05/13

Version: 3.0

Page: 6/10 (30160087/SDS_GEN_US/EN)

Chemical stability

The product is chemically stable.

Possibility of hazardous reactions

Violent reaction under influence of oxidizing agents. Incompatible with bases. Reacts with nitrites.

Conditions to avoid

Avoid heat. Avoid moisture. See MSDS section 7 - Handling and storage.

Incompatible materials

nitrites, nitrates, oxidizing agents

Hazardous decomposition products

Decomposition products: Hazardous decomposition products: Hydrogen chloride, ammonia

Thermal decomposition: To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

<u>Oral</u> Type of value: LD50 Species: rat (male/female) Value: 1,410 mg/kg (BASF-Test)

Inhalation No data available.

Dermal Type of value: LD50 Species: rat (male/female) Value: > 2,000 mg/kg The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment other acute effects

Assessment of STOT single: Apart from effects causing lethality, no specific target organ toxicity was observed in experimental studies.

Irritation / corrosion

Revision date : 2016/05/13 Version: 3.0

Page: 7/10 (30160087/SDS_GEN_US/EN)

Assessment of irritating effects: Not irritating to the skin. Eye contact causes irritation.

<u>Skin</u>

Species: rabbit Result: non-irritant Method: Draize test

<u>Eye</u>

Species: rabbit Result: Irritant. Method: BASF-Test

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Guinea pig maximization test Species: guinea pig Result: Non-sensitizing.

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects. Repeated ingestion of large amounts may lead to metabolic acidosis.

Genetic toxicity

Assessment of mutagenicity: In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in vivo tests.

Carcinogenicity

Assessment of carcinogenicity: In long-term studies in rats in which the substance was given by feed, a carcinogenic effect was not observed.

Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Symptoms of Exposure

Overexposure may cause:, vomiting, lethargy, confusion, hyperventilation, nausea, headache

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Revision date : 2016/05/13 Version: 3.0

Toxicity to fish

LC50 (96 h) 42,91 mg/l Ammonium chloride, Oncorhynchus mykiss

LC50 (96 h) 46,27 mg/l Ammonium chloride, Prosopium williamsoni

Aquatic invertebrates

EC50 (48 h) 98,5 mg/l Ammonium chloride, Ceriodaphnia dubia (static)

EC50 (48 h) 136,6 mg/l Ammonium chloride, Daphnia magna (static)

Aquatic plants

EC50 (5 d) 1,300 mg/l (growth rate), Chlorella vulgaris (static) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

EC50 (18 d) 2,700 mg/l, Chlorella vulgaris (static) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

<u>Chronic toxicity to fish</u> EC10 (30 d) 4,28 mg/l ammonium chloride, Lepomis macrochirus (Flow through.)

<u>Chronic toxicity to aquatic invertebrates</u> EC10 (70 d) 2,52 mg/l ammonium chloride (semistatic)

Soil living organisms

Toxicity to soil dwelling organisms: LC50 (14 d) 163 mg/kg, Eisenia foetida (artificial soil)

Toxicity to terrestrial plants

No observed effect concentration (84 d) 626 mg/l The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Other terrestrial non-mammals Study scientifically not justified.

Microorganisms/Effect on activated sludge

<u>Toxicity to microorganisms</u> OECD Guideline 209 aquatic activated sludge, domestic/EC20 (0.5 h): approx. 850 mg/l

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> Inorganic product which cannot be eliminated from water by biological purification processes. Can be oxidized to nitrate, or be reduced to nitrogen, by microorganisms.

Assessment of stability in water Study scientifically not justified.

Bioaccumulative potential

Assessment bioaccumulation potential

Revision date : 2016/05/13 Version: 3.0

Accumulation in organisms is not to be expected.

<u>Bioaccumulation potential</u> Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments Study scientifically not justified. Adsorption to solid soil phase is possible.

Additional information

Add. remarks environm. fate & pathway: The product has not been tested. The statements on environmental fate and pathway have been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance: Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

Further information

Specific national features of transport regulations must be observed. They are to be found in the shipping documents.

15. Regulatory Information

Federal Regulations

Registration status:			
Chemical		released / listed	
Feed	TSCA, US	released / exempt	
Food	TSCA, US	released / exempt	

Revision date : 2016/05/13 /ersion: 3.0	3	Page: 10/10 (30160087/SDS_GEN_US/EN)	
EPCRA 311/312 (Haz	ard categories):	Acute;	
Reportable Quantity	for release:	5,000 lb	
NFPA Hazard codes Health : 2 Fire:		Special:	
HMIS III rating Health: 2 Flammability: 1 Physical hazard:0			
Assessment of the h	azard classes accordin	ng to UN GHS criteria (most recent version):	
Acute Tox. Aquatic Acute Eye Dam./Irrit.	4 (oral) 3 2A	Acute toxicity Hazardous to the aquatic environment - acute Serious eye damage/eye irritation	

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2016/05/13

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE . IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET