



1. Identification

Product identifier	Compressor Oil
Other means of identification	
Product code	SL22131
Recommended use	Compressor oil
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical	800-521-3168
Assistance	
Customer Service	800-272-4620
24-Hour Emergency	800-424-9300 (US)
(CHEMTREC)	703-527-3887 (International)
Website	www.crcindustries.com
2. Hazard(s) identificatio	n
Physical hazards	Not classified.

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use. Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), solvent-refined heavy naphthenic		64741-96-4	60 - 70
distillates (petroleum), hydrotreated light naphthenic		64742-53-6	20 - 30
distillates (petroleum), solvent-dewaxed heavy paraffinic		64742-65-0	1 - 3
kerosene		8008-20-6	1 - 3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur. If ingestion of a large amount does occur, call a poison control center immediately.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.	
Skin contact	Wash off with plenty of water. Remove and isolate contaminated clothing and shoes. Get medica attention if irritation develops and persists. Wash contaminated clothing before reuse.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.	

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials. None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

7 Handling and stangers	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.
containment and cleaning up	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Methods and materials for containment and cleaning up	The product is immiscible with water and will spread on the water surface.
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

7. Handling and storage

Precautions for safe handlingWear appropriate personal protective equipment. Avoid prolonged or repeated contact with skin.
Avoid prolonged exposure. Use only in well-ventilated areas. When using, do not eat, drink or
smoke. Wash contaminated clothing before reuse. Use appropriate container to avoid
environmental contamination. For product usage instructions, please see the product label.Conditions for safe storage,
including any incompatibilitiesKeep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store
in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials
(see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4)	PEL	5 mg/m3	Mist.
		2000 mg/m3 500 ppm	
US. ACGIH Threshold Limit			_
Components	Туре	Value	Form
distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4)	TWA	5 mg/m3	Inhalable fraction.
kerosene (CAS 8008-20-6)	TWA	200 mg/m3	Non-aerosol.
US. NIOSH: Pocket Guide to	o Chemical Hazards		
Components	Туре	Value	Form
distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	1800 mg/m3	
04742-00-0)	STEL	10 mg/m3	Mist.
distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
		5 mg/m3	Mist.
	TWA		
distillates (petroleum), solvent-refined heavy naphthenic (CAS	TWA Ceiling	1800 mg/m3	WIGC.
solvent-refined heavy	Ceiling	1800 mg/m3	
solvent-refined heavy naphthenic (CAS 64741-96-4)	Ceiling STEL	1800 mg/m3 10 mg/m3	Mist.
solvent-refined heavy naphthenic (CAS 64741-96-4) kerosene (CAS 8008-20-6)	Ceiling STEL TWA	1800 mg/m3 10 mg/m3 100 mg/m3	
solvent-refined heavy naphthenic (CAS 64741-96-4) kerosene (CAS 8008-20-6)	Ceiling STEL	1800 mg/m3 10 mg/m3 100 mg/m3	
solvent-refined heavy naphthenic (CAS	Ceiling STEL TWA	1800 mg/m3 10 mg/m3 100 mg/m3	
solvent-refined heavy naphthenic (CAS 64741-96-4) kerosene (CAS 8008-20-6) ogical limit values	Ceiling STEL TWA No biological exposure limits noted fo	1800 mg/m3 10 mg/m3 100 mg/m3	

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate.
Individual protection measures	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection Hand protection	Wear protective gloves such as: Nitrile. Polyvinyl chloride (PVC).
Other	Wear suitable protective clothing.
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Amber.
Odor	Mild petroleum.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	347 °F (175 °C) estimated
range	
Flash point	350 °F (176.7 °C) Pensky-Martens Closed Cup
Evaporation rate	Very slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	0.7 % estimated
Flammability limit - upper (%)	5 % estimated
Vapor pressure	0.6 hPa estimated
Vapor density	> 5 (air = 1)
Relative density	0.9 - 0.92
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	410 °F (210 °C) estimated
Decomposition temperature	Not available.
Viscosity (kinematic)	107 mm²/s (104 °F (40 °C))
Percent volatile	70.3 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.

11. Toxicological information

Information on likely routes of e	exposure	
Inhalation	Prolonged or excessive inhalation may cause respiratory tract irritation.	
Skin contact	Prolonged skin contact may cause temporary irritation. Repeated exposure may cause skin dryness or cracking.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	

Information on toxicological effects

Acute toxicity

Acute toxicity		
Components	Species	Test Results
	ated light naphthenic (CAS 64742-53-6)	
Acute		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Inhalation		
LC50	Rat	2180 mg/m³, 4 hours
Oral		
LD50	Rat	> 5000 mg/kg
distillates (petroleum), solvent-o	dewaxed heavy paraffinic (CAS 64742-65	-0)
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
distillates (petroleum), solvent-i	efined heavy naphthenic (CAS 64741-96	-4)
Acute		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
kerosene (CAS 8008-20-6)		
<u>Acute</u>		
Oral		
LD50	Rat	15 g/kg
* Estimates for product ma	y be based on additional component data	unot shown
Skin corrosion/irritation	Prolonged skin contact may cause to	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to caus	e skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall E	valuation of Carcinogenicity		
distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)		3 Not classifiable as to carcinogenicity to humans.	
phenol (CAS 108-95-2)		3 Not classifiable as to carcinogenicity to humans.	
US. National Toxicology Pro	gram (NTP) Report on Carcino	ogens	
Not listed.			
US. OSHA Specifically Regu Not regulated.	lated Substances (29 CFR 191	0.1001-1050)	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not classified.		
Chronic effects	Prolonged inhalation may be harmful.		
Further information	This product has no known adverse effect on human health.		
12. Ecological informatio	n		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential			
Mobility in soil	No data available.		
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation , global warming potential) are expected from this component.	
13. Disposal consideration	ons		
Disposal of waste from residues / unused products	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.		
Hazardous waste code	Not regulated.		
Contaminated packaging		ken to an approved waste handling site for recycling or disposal. retain product residue, follow label warnings even after container is	

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

phenol (CAS 108-95-2)

zinc alkyldithiophosphate (CAS 84605-29-8)

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water ActNot regulated.(SDWA)Not regulated.Food and DrugNot regulated.

Administration (FDA)

Superfund Amendments and	d Reauthorization Act of 1986 (SARA)
Section 311/312 Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	No

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4) kerosene (CAS 8008-20-6)

US. New Jersey Worker and Community Right-to-Know Act

kerosene (CAS 8008-20-6) phenol (CAS 108-95-2) zinc alkyldithiophosphate (CAS 84605-29-8)

US. Massachusetts RTK - Substance List

distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4) kerosene (CAS 8008-20-6)

US. Pennsylvania Worker and Community Right-to-Know Law

kerosene (CAS 8008-20-6) phenol (CAS 108-95-2) zinc alkyldithiophosphate (CAS 84605-29-8)

US. Rhode Island RTK

distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) distillates (petroleum), solvent-refined heavy naphthenic (CAS 64741-96-4) kerosene (CAS 8008-20-6) phenol (CAS 108-95-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Listed: February 27, 1987

- US California Proposition 65 CRT: Listed date/Developmental toxin
 - benzene (CAS 71-43-2) Listed: December 26, 1997

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

benzene (CAS 71-43-2) Listed: December 26, 1997

Volatile organic compounds (VOC) regulations

benzene (CAS 71-43-2)

EPA

VOC content (40 CFR Not determined 51.100(s))

Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	Not regulated	
VOC content (CA)	0 %	
VOC content (OTC)	0 %	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	10-26-2015
Revision date	01-06-2017
Prepared by	Allison Cho
Version #	03
Further information	Not available.
HMIS [®] ratings	Health: 1 Flammability: 1 Physical hazard: 0 Personal protection: B
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
NFPA ratings	
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision Information	Product and Company Identification: Product Codes Accidental release measures: Methods and materials for containment and cleaning up Physical & Chemical Properties: Multiple Properties Ecological Information: Ecotoxicity Other information, including date of preparation or last revision: Disclaimer GHS: Classification