MSDS for SODIUM SULFITE, ANHYDROUS

1 - Site Specific Information

No SITE SPECIFIC INFORMATION has been entered for this chemical

2 - PRODUCT IDENTIFICATION

PRODUCT NAME: SODIUM SULFITE, ANHYDROUS

COMMON SYNONYMS: DISODIUM SULFITE; EXSICCATED SODIUM SULFITE

CHEMICAL FAMILY: INORGANIC SODIUM COMPOUNDS

FORMULA:

NA2SO3

FORMULA WT.: 126.04 CAS NO.: 7757-83-7

NIOSH/RTECS NO.: WE2150000

PRODUCT USE: LABORATORY REAGENT

PRODUCT CODES: 3888,3922

CHEMTREC # (800) 424-9300

NATIONAL RESPONSE CENTER # (800) 424-8802

J.T.BAKER INC.

222 RED SCHOOL LANE

PHILLIPSBURG, NJ 08865

24-HOUR EMERGENCY TELEPHONE -- (201) 859-2151

EFFECTIVE: 01/04/94 ISSUED: 10/01/94

REVISION #04

PRECAUTIONARY LABELING

BAKER SAF-T-DATA* SYSTEM

SLIGHT HEALTH - 1 SLIGH FLAMMABILITY - 0 NONE REACTIVITY - 1 SLIGHT - 1 SLIGHT CONTACT

LABORATORY PROTECTIVE EQUIPMENT

GOGGLES; LAB COAT

U.S. PRECAUTIONARY LABELING

CAUTION

MAY CAUSE IRRITATION. MAY BE HARMFUL IF SWALLOWED. MAY CAUSE ALLERGIC REACTION.

J.T.BAKER MSDS MSDS for SODIUM SULFITE, ANHYDROUS

2 - PRODUCT IDENTIFICATION (continued)

DURING USE AVOID CONTACT WITH EYES, SKIN, CLOTHING. WASH THOROUGHLY AFTER HANDLING. WHEN NOT IN USE KEEP IN TIGHTLY CLOSED CONTAINER.

INTERNATIONAL LABELING

IRRITATING TO RESPIRATORY SYSTEM.

DO NOT BREATHE DUST. AVOID CONTACT WITH SKIN AND EYES.

SAF-T-DATA* STORAGE COLOR CODE: ORANGE (GENERAL STORAGE)

3 - COMPONENTS

COMPONENT SODIUM SULFITE, ANHYDROUS

7757-83-7 98-100

N/E

CAS NO. WEIGHT % OSHA/PEL ACGIH/TLV

4 - PHYSICAL DATA

BOILING POINT: N/A

VAPOR PRESSURE (MMHG): N/A

MELTING POINT: N/A

VAPOR DENSITY (AIR=1): N/A

SPECIFIC GRAVITY: 2.63

(H20=1)

EVAPORATION RATE: N/A

SOLUBILITY(H20): APPRECIABLE (>10%)

% VOLATILES BY VOLUME: 0

(21 C)

PH: N/A

ODOR THRESHOLD (P.P.M.): N/A

PHYSICAL STATE: SOLID

COEFFICIENT WATER/OIL DISTRIBUTION: N/A

APPEARANCE & ODOR: WHITE CRYSTALS OR POWDER. ODORLESS.

5 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (CLOSED CUP): N/A

MSDS for SODIUM SULFITE, ANHYDROUS

5 - FIRE AND EXPLOSION HAZARD DATA (continued)

AUTOIGNITION TEMPERATURE: N/A

FLAMMABLE LIMITS: UPPER - N/A LOWER - N/A

FIRE EXTINQUISHING MEDIA

USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

SPECIAL FIRE-FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE

UNUSUAL FIRE & EXPLOSION HAZARDS NONE IDENTIFIED.

TOXIC GASES PRODUCED SULFUR DIOXIDE

EXPLOSION DATA-SENSITIVITY TO MECHANICAL IMPACT NONE IDENTIFIED.

EXPLOSION DATA-SENSITIVITY TO STATIC DISCHARGE NONE IDENTIFIED.

6 - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE (TLV/TWA): NOT ESTABLISHED

SHORT-TERM EXPOSURE LIMIT (STEL): NOT ESTABLISHED

PERMISSIBLE EXPOSURE LIMIT (PEL): NOT ESTABLISHED

TOXICITY OF COMPONENTS

INTRAPERITONEAL MOUSE LD50 FOR SODIUM SULFITE, ANHYDROUS 950 MG/KG INTRAVENOUS RAT LD50 FOR SODIUM SULFITE, ANHYDROUS MG/KG 115 CARCINOGENICITY: NTP: NO IARC: NO Z LIST: NO OSHA REG: NO

CARCINOGENICITY NONE IDENTIFIED.

MSDS for SODIUM SULFITE, ANHYDROUS

6 - HEALTH HAZARD DATA (continued)

REPRODUCTIVE EFFECTS

NONE IDENTIFIED.

EFFECTS OF OVEREXPOSURE

INHALATION:

IRRITATION OF MUCOUS MEMBRANES, IRRITATION OF UPPER

RESPIRATORY TRACT

SKIN CONTACT:

IRRITATION

EYE CONTACT:

IRRITATION

SKIN ABSORPTION: NONE IDENTIFIED

INGESTION:

GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING,

UNCONSCIOUSNESS, CENTRAL NERVOUS SYSTEM DEPRESSION, ALLERGIC REACTION MAY DEVELOP, ACHING MUSCLES, MAY BE

FATAL.

CHRONIC EFFECTS: NONE IDENTIFIED

TARGET ORGANS

BRAIN, GI TRACT, RESPIRATORY SYSTEM, SKIN

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE **ASTHMA**

PRIMARY ROUTES OF ENTRY INHALATION, SKIN CONTACT

EMERGENCY AND FIRST AID PROCEDURES

INGESTION:

IF SWALLOWED AND THE PERSON IS CONSCIOUS, IMMEDIATELY GIVE

LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION.

INHALATION:

IF A PERSON BREATHES IN LARGE AMOUNTS, MOVE THE EXPOSED

PERSON TO FRESH AIR.

SKIN CONTACT: IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH PLENTY OF

SOAP AND WATER FOR AT LEAST 15 MINUTES.

EYE CONTACT:

IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF

WATER FOR AT LEAST 15 MINUTES.

SARA/TITLE III HAZARD CATEGORIES AND LISTS

MSDS for SODIUM SULFITE, ANHYDROUS

6 - HEALTH HAZARD DATA (continued)

ACUTE: YES CHRONIC: YES FLAMMABILITY: NO PRESSURE: NO REACTIVITY: NO

EXTREMELY HAZARDOUS SUBSTANCE: NO

CERCLA HAZARDOUS SUBSTANCE:

SARA 313 TOXIC CHEMICALS:

TSCA INVENTORY:

NO YES

7 - REACTIVITY DATA

STABILITY: STABLE HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: HEAT, MOISTURE

INCOMPATIBLES: STRONG OXIDIZING AGENTS, STRONG ACIDS

DECOMPOSITION PRODUCTS: OXIDES OF SULFUR, OXIDES

8 - SPILL & DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN THE EVENT OF A SPILL OR DISCHARGE WEAR SUITABLE PROTECTIVE CLOTHING. CAREFULLY SWEEP UP AND REMOVE.

DISPOSAL PROCEDURE

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

9 - INDUSTRIAL PROTECTIVE EQUIPMENT

VENTILATION: USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO

KEEP FUME OR DUST LEVELS AS LOW AS POSSIBLE.

RESPIRATORY PROTECTION: NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS

EXIST. IF AIRBORNE CONCENTRATION IS HIGH, USE AN

APPROPRIATE RESPIRATOR OR DUST MASK.

EYE/SKIN PROTECTION: SAFETY GOGGLES, RUBBER GLOVES ARE RECOMMENDED.

J.T.BAKER MSDS MSDS for SODIUM SULFITE, ANHYDROUS

10 - STORAGE AND HANDLING PRECAUTIONS

SAF-T-DATA* STORAGE COLOR CODE: ORANGE (GENERAL STORAGE)

STORAGE REQUIREMENTS

KEEP CONTAINER TIGHTLY CLOSED. SUITABLE FOR ANY GENERAL CHEMICAL STORAGE AREA.

11 - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

DOMESTIC (D.O.T.)

PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)

INTERNATIONAL (I.M.O.)

PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)

MARINE POLLUTANTS: NO

AIR (I.C.A.O.)

PROPER SHIPPING NAME: CHEMICALS, N.O.S. (NON-REGULATED)

U.S. CUSTOMS HARMONIZATION NUMBER: 28321000008

NOTE: WHEN HANDLING LIQUID PRODUCTS, SECONDARY PROTECTIVE CONTAINERS MUST BE USED FOR CARRYING.

N/A = NOT APPLICABLE, OR NOT AVAILABLE

N/E = NOT ESTABLISHED.

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET MEETS THE REQUIREMENTS OF THE UNITED STATES OCCUPATIONAL SAFETY AND HEALTH ACT AND REGULATIONS PROMULGATED THEREUNDER (29 CFR 1910.1200 ET. SEQ.) AND THE CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PERSON TRAINED IN, OR SUPERVISED BY A PERSON TRAINED IN, CHEMICAL HANDLING. THE USER IS RESPONSIBLE FOR DETERMINING THE PRECAUTIONS AND DANGERS OF THIS CHEMICAL FOR HIS OR HER PARTICULAR APPLICATION. DEPENDING ON USAGE, PROTECTIVE CLOTHING INCLUDING EYE AND FACE GUARDS AND RESPIRATORS MUST BE USED TO AVOID CONTACT WITH MATERIAL OR BREATHING CHEMICAL VAPORS/FUMES.

EXPOSURE TO THIS PRODUCT MAY HAVE SERIOUS ADVERSE HEALTH EFFECTS. THIS

J.T.BAKER MSDS
MSDS for SODIUM SULFITE, ANHYDROUS

11 - TRANSPORTATION DATA AND ADDITIONAL INFORMATION (continued)

CHEMICAL MAY INTERACT WITH OTHER SUBSTANCES. SINCE THE POTENTIAL USES ARE SO VARIED, BAKER CANNOT WARN OF ALL OF THE POTENTIAL DANGERS OF USE OR INTERACTION WITH OTHER CHEMICALS OR MATERIALS. BAKER WARRANTS THAT THE CHEMICAL MEETS THE SPECIFICATIONS SET FORTH ON THE LABEL.

BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

THE USER SHOULD RECOGNIZE THAT THIS PRODUCT CAN CAUSE SEVERE INJURY AND EVEN DEATH, ESPECIALLY IF IMPROPERLY HANDLED OR THE KNOWN DANGERS OF USE ARE NOT HEEDED. READ ALL PRECAUTIONARY INFORMATION. AS NEW DOCUMENTED GENERAL SAFETY INFORMATION BECOMES AVAILABLE, BAKER WILL PERIODICALLY REVISE THIS MATERIAL SAFETY DATA SHEET.

NOTE: CHEMTREC, CANUTEC, AND NATIONAL RESPONSE CENTER EMERGENCY TELEPHONE NUMBERS ARE TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT INVOLVING CHEMICALS. ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (1-800-JTBAKER) ASSISTANCE.

COPYRIGHT 1994 J.T.BAKER INC. * TRADEMARKS OF J.T.BAKER INC.

APPROVED BY QUALITY ASSURANCE DEPARTMENT.