

W W HENRY CO -- 108 LAP CEMENT -- 5610-00N055607

=====
Product Identification
=====

Product ID:108 LAP CEMENT
MSDS Date:10/23/1985
FSC:5610
NIIN:00N055607
MSDS Number: BWCMT
=== Responsible Party ===
Company Name:W W HENRY CO
Address:5731 BICKETT ST
City:HUNTINGTON PARK
State:CA
ZIP:90255
Country:US
Info Phone Num:213-583-6861
Emergency Phone Num:213-583-6861
CAGE:EO927
=== Contractor Identification ===
Company Name:HENRY W W CO
Box:3001
City:LANCASTER
State:PA
ZIP:17604
Country:US
Phone:717-396-2328;717-396-2935
CAGE:11761
Company Name:W W HENRY CO
Address:5608 SOTO ST
City:HUNTINGTON PARK
State:CA
ZIP:90255-5000
Country:US
Phone:213-583-4961
CAGE:EO927

=====
Composition/Information on Ingredients
=====

Ingred Name:DECANE; (PETROLEUM DISTILLATE). VP:5 @ 72F
CAS:124-18-5
RTECS #:HD6550000
Fraction by Wt: 28-38%
OSHA PEL:500 PPM (MFR)
ACGIH TLV:500 PPM (MFR)

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HEADACHE, NAUSEA, GIDDINESS. EYE,
NOSE, THROAT & LUNG DISTRESS.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:CURRENT ANEMIA, RESPIRATORY OR
LIVER AILMENT.

=====
First Aid Measures
=====

First Aid:INGEST:CALL MD IMMEDIATELY . INHAL:MOVE PERSON TO FRESH AIR.
ARTIFICIAL RESPIRATION IF NEEDED. SKIN:WASH W/SOAP & WATER OR
WATERLESS CLEANER. EYES:FLUSH W/WATER FOR AT LEAST 15 MINUTES. CALL
MD! !

=====
Fire Fighting Measures
=====

Flash Point:117F,47C
Lower Limits:NONE
Extinguishing Media:CO*2, DRY CHEMICAL.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT .
Unusual Fire/Explosion Hazard:WATER CAUSES FIRE TO SPREAD.

=====
Accidental Release Measures
=====

Spill Release Procedures:EXTINGUISH ALL SOURCES OF IGNITION IN THE
AREA. CLEAN UP SPILLS AS SOON AS POSSIBLE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AWAY FROM HEAT & SOURCES OF
IGNITION.
Other Precautions:NONE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR
EXPOSURE OF CONCERN . NONE NORMALLY NEEDED.
Ventilation:USE SUPPLIED AIR SYSTEM IF VAPOR CONCENTRATIONS EXCEEDS
TLV.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .
Other Protective Equipment:NONE.
Work Hygienic Practices:CLEAN SKIN W/SOAP & WATER OR WATERLESS CLEANER.
FLUSH EYES W/WATER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

HCC:F4
Boiling Pt:B.P. Text:>310F,>154C
Vapor Pres:SEE ING
Vapor Density:HVR/AIR
Spec Gravity:0.92-0.95
Evaporation Rate & Reference:SLOWER THAN ETHER
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.
Percent Volatiles by Volume:32-36

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT & SOURCES OF IGNITION.

Hazardous Decomposition Products:SMOKE & OXIDES OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS . ABSORB SPILLED MATERIAL W/CLAY, DIATOMACEOUS EARTH OR OTHER NON-FLAMMABLE ABSORBENT MATERIAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.