

Nitrogen Safety Data Sheet 900007 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/03/2014 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Nitrogen
Chemical name	: Nitrogen
CAS-No.	: 7727-37-9
Product code	: SG-1001-00181
1.2. Recommended use and restrict	ions on use
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Supplier	
Air Liquide USA LLC and its affiliates 9811 Katy Freeway, Suite 100 Houston, TX 77024 - USA T 1-800-819-1704 www.us.airliquide.com	
1.4. Emergency telephone number	
Emergency number	: Chemtrec: 1-800-424-9300
SECTION 2: Hazard(s) identificat	ion
2.1. Classification of the substance	
GHS-US classification	
Gases under pressure H280 Compressed gas	Contains gas under pressure; may explode if heated
Full text of H statements : see section 16	
2.2. GHS Label elements, including	precautionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS04
Signal word (CHS LIS)	
Signal word (GHS-US) Hazard statements (GHS-US)	: Warning : H280 - Contains gas under pressure; may explode if heated
	OSHA-H01 - May displace oxygen and cause rapid suffocation
Precautionary statements (GHS-US)	: P202 - Do not handle until all safety precautions have been read and understood.
,	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective clothing, protective gloves, eye protection, face protection.
	P308+P313 - If exposed or concerned: Get medical advice/attention. P403 - Store in a well-ventilated place.
	P501 - Dispose of contents/container in accordance with local/regional/national/international
	regulations
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C/125 °F
	CGA-PG05 - Use a back flow preventive device in the piping
	CGA-PG06 - Close valve after each use and when empty
	CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution
	CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly
0.2 Other here which do not no	
2.3. Other hazards which do not res No additional information available	

2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Inform	ation on ingredients			
3.1. Substances				
Name	: Nitrogen			
CAS-No.	: 7727-37-9			
Name		Product identifier	%	GHS-US classification
Nitrogen		(CAS-No.) 7727-37-9	100	Press. Gas (Comp.), H280
Full text of hazard classes and H-statement	ts : see section 16			
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
4.1. Description of first aid measure	es			
First-aid measures after inhalation	: Remove victim to fresh air a unwell, seek medical advice		sition comf	ortable for breathing. If you feel
First-aid measures after skin contact	: Adverse effects not expected	ed from this product.		
First-aid measures after eye contact	: Adverse effects not expected	•		
First-aid measures after ingestion	: Ingestion is not considered	a potential route of expo	osure.	
4.2. Most important symptoms and	effects (acute and delayed)			
Symptoms/effects after inhalation	: May displace oxygen and c	ause rapid suffocation.	lf you feel	unwell, seek medical advice.
Symptoms/effects after skin contact	: Adverse effects not expected	ed from this product.		
Symptoms/effects after eye contact	: Adverse effects not expected	ed from this product.		
Symptoms/effects after ingestion	: Ingestion is not considered	a potential route of expo	osure.	
Symptoms/effects upon intravenous administration	: Not known.			
Chronic symptoms	: None known.			
4.3. Immediate medical attention ar	nd special treatment, if necessary			
If breathing is difficult, give oxygen. Obtain		ty persists.		
SECTION 5: Fire-fighting measu	ras			
5.1. Suitable (and unsuitable) exting				
Suitable extinguishing media	: Use extinguishing media ap	opropriate for surroundin	a fire	
Unsuitable extinguishing media	: Do not use water jet to extin		ig mo.	
	-	nguion.		
5.2. Specific hazards arising from t		1-		
Fire hazard	: The product is not flammab		runturing -	load containers enreading fire
Explosion hazard	and increasing risk of burns		rupturing C	losed containers, spreading fire
Reactivity	: None known.			
Hazardous combustion products	: None known			
5.3. Special protective equipment a	nd precautions for fire-fighters			
Firefighting instructions	: In case of fire: Evacuate an or fog for cooling exposed of			sk of explosion. Use water spray fighting any chemical fire.
Protection during firefighting	: Standard protective clothing fighters. Do not enter fire a protection.			ed Breathing Apparatus) for fire ment, including respiratory
SECTION 6: Accidental release r	neasures			
6.1. Personal precautions, protectiv	ve equipment and emergency proc	cedures		
General measures	: Ensure adequate ventilation			
6.1.1. For non-emergency personnel				
Protective equipment	: Wear protective equipment	consistent with the site	emergenc	y plan.

: Evacuate personnel to a safe area. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0	5	
6.1.2.	For emergency responders	
Protect	ive equipment	: Standard protective clothing and equipment (e.g, Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emerge	ency procedures	: Evacuate and limit access. Ventilate area.
6.2.	Environmental precautions	
Try to s	stop release if without risk.	
6.3.	Methods and material for contain	nent and cleaning up
For cor	ntainment	: Try to stop release if without risk.
Method	ls for cleaning up	: Dispose of contents/container in accordance with local/regional/national/international regulations.
6.4.	Reference to other sections	
See als	so Sections 8 and 13.	
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Additio	nal hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure.
Precau	tions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygien	e measures	: Do not eat, drink or smoke when using this product.
7.2.	Conditions for safe storage, inclu	ding any incompatibilities
Techni	cal measures	: Comply with applicable regulations.
Storage	e conditions	 Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop.
Incomp	patible products	: None known.
Incompatible materials		: None known.

SECTION 8: Exposure controls/personal protection

8.1. Control parame	Control parameters		
Nitrogen (7727-37-9)			
ACGIH Remark (ACGIH) Simple Asphyxiant			

8.2.	Appropriate engineering controls	
Appropriate engineering controls		: Ensure exposure is below occupational exposure limits (where available). Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider the use of a work permit system e.g. for maintenance activities.
Environ	mental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand protection

Eye protection:

Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection

Skin and body protection:

Wear suitable protective clothing, e.g. lab coats, coveralls or flame resistant clothing.

Respiratory protection:

None necessary during normal and routine operations.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Thermal hazard protection:

None necessary during normal and routine operations.

Other information:

Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Gas	
Appearance	: Clear, colorless gas.	
Color	: Colorless	
Odor	: Odorless	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: -210 °C	
Freezing point	: No data available	
	: -195.5 °C	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)		
Relative evaporation rate (ether=1) Flammability (solid, gas)	: Not applicable for gas-mixtures. : See Section 2.1 and 2.2	
, , , , , , , , , , , , , , , , , , ,	: 760	
Vapor pressure	: 0.967	
Relative vapor density at 20 °C	No data available	
Relative density		
Specific gravity / density Molecular mass	: 1.2506 g/l : 28.0134 g/mol	
Relative gas density	: Similar to air.	
Solubility	: Water: 1.485 g/100cm ³	
•	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: 0.01787 cP	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic		
Explosion limits	: Not applicable - not flammable : No data available	
Explosive properties		
Oxidizing properties	: None.	
9.2. Other information		
Additional information	: None	

SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
None kn	own.
10.2.	Chemical stability
Stable u	nder normal conditions.
10.3.	Possibility of hazardous reactions
None kn	own.
10.4.	Conditions to avoid
None un	der recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
None kn	own.

Nitrogen Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Likely routes of exposure	: Inhalation	
Acute toxicity	: Not classified	
Nitrogen (7727-37-9)		
LC50 inhalation rat (ppm)	820000 ppm/4h	
Nitrogen (7727-37-9)		
LC50 inhalation rat (ppm)	820000 ppm/4h	
ATE US (gases)	820000.000 ppmV/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	
Specific target organ toxicity – repeated exposure	: Not classified	
exposure		
Aspiration hazard	: Not classified	
Symptoms/effects after inhalation	: May displace oxygen and cause rapid suffocation. If you feel unwell, seek medical advice.	
Symptoms/effects after skin contact	: Adverse effects not expected from this product.	
Symptoms/effects after eye contact	: Adverse effects not expected from this product.	
Symptoms/effects after ingestion	: Ingestion is not considered a potential route of exposure.	
Symptoms/effects upon intravenous administration	: Not known.	
Chronic symptoms	: None known.	

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
Nitrogen (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
12.4. Mobility in soil	
Nitrogen (7727-37-9)	
Ecology - soil	No ecological damage caused by this product.
12.5. Other adverse effects	

Effect on global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal consideration	S.
13.1. Disposal methods	
Waste treatment methods	 Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.
Product/Packaging disposal recommendations	 Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.
Additional information	: None.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN1066 Nitrogen, compressed, 2.2
UN-No.(DOT)	: UN1066
Proper Shipping Name (DOT)	: Nitrogen, compressed
Class (DOT)	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Hazard labels (DOT)	: 2.2 - Non-flammable gas
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 302
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport by sea	
Transport document description (IMDG)	: UN 1066 COMPRESSED GAS, N.O.S., 2.2
UN-No. (IMDG)	: 1066
Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
Class (IMDG)	: 2.2 - Non-flammable, non-toxic gases
Limited quantities (IMDG)	: 120 ml
Air transport	
Transport document description (IATA)	: UN 1066 COMPRESSED GAS, N.O.S., 2.2
UN-No. (IATA)	: 1066
Proper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.
Class (IATA)	: 2
SECTION 15: Regulatory information	

15.1. US Enderal regulations

15.1. US Federal regulations

Nitrogen (7727-37-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

Nitrogen (7727-37-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SE	CTION 16: Other information	
Othe	er information	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.
Full	text of H-phrases:	
	H280	Contains gas under pressure; may explode if heated

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide USA LLC and its affiliates' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.