

# SAFETY DATA SHEET

# 1. Identification

Product identifier	265 KM PROFESSIONAL Water-Oil Hybrid — Interior/Exterior — Primer / Undercoater
Other means of identification	None.
Recommended use	Architectural Coating
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplier/	/Distributor information
Company name	Kelly-Moore Paint Co., Inc.
Address	987 Commercial St., San Carlos, CA 94070
Telephone	1-800-874-4436
E-mail	TAlvarez@kellymoore.com
Contact person	Tiffany Alvarez
Emergency phone number	CHEMTREC: 1-800-424-9300

#### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 2
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	Suspected of causing cancer.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	CAS number	%
Calcium carbonate	1317-65-3	10-20
Titanium dioxide	13463-67-7	10-20
Ethylbenzene	100-41-4	<1

All concentrations are in percent by weight (kg) unless ingredient is a gas. Gas concentrations are in percent by volume (l). **Composition comments** Components not listed are either non-hazardous or are below reportable limits.

#### 4. First-aid measures

Inhalation

Move to fresh air. Oxygen or artificial respiration if needed. Get medical attention if any discomfort continues.

Skin contact	Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. Get medical attention if irritation persists after washing.
Eye contact	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist.
Ingestion	Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If exposed or concerned: get medical attention/advice.
5. Fire-fighting measures	
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Avoid inhalation of vapors and contact with skin and eyes. Wear appropriate personal protective equipment (See Section 8).
Methods and materials for containment and cleaning up	Should not be released into the environment. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Large Spills: Absorb in vermiculite, dry sand or earth and place into containers.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. This product is moderately soluble in water.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into

7. Handling and storage

# Precautions for safe handlingObtain special instructions before use. Do not handle until all safety precautions have been read<br/>and understood. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid<br/>prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective<br/>equipment. Wash thoroughly after handling. Observe good industrial hygiene practices.Conditions for safe storage,<br/>including any incompatibilitiesStore locked up. Store away from incompatible materials (see Section 10 of the SDS). Store in<br/>tightly closed original container in a dry, cool and well-ventilated place.

drains, water courses or onto the ground.

# 8. Exposure controls/personal protection

# **Occupational exposure limits**

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Тур	e	v	/alue
Ethylbenzene (CAS 100-41-4)	PEL			135 mg/m3
,			1	00 ppm
US. ACGIH Threshold Li	mit Values			
Components	Тур	e	v	/alue
Ethylbenzene (CAS 100-41-4)	TW	A	2	20 ppm
US. NIOSH: Pocket Guid	e to Chemical Hazards	5		
Components	Тур	е	v	/alue
Ethylbenzene (CAS 100-41-4)	STE	EL	5	545 mg/m3
		•		25 ppm
	TW	A		435 mg/m3 100 ppm
			I	
ological limit values ACGIH Biological Expos	ure Indices			
Components	Value	Determinant	Specimen	Sampling Time
Ethylbenzene (CAS 100-41-4)	0.15 g/g	Sum of mandelic acid and phenylglyoxylic acid	Creatinine in urine	*
* - For sampling details, pl	ease see the source do	cument.		
propriate engineering ntrols	should be matched or other engineerin	d to conditions. If ap ng controls to mainta	olicable, use pr in airborne lev	r hour) should be used. Ventilation rates rocess enclosures, local exhaust ventilation rels below recommended exposure limits. If airborne levels to an acceptable level.
dividual protection measur				
Eye/face protection	• • •	s, goggles, or face s		eyes.
Skin protection				
Hand protection	Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable.			
Other	Wear suitable prot	ective clothing.		
Respiratory protection	Use NIOSH certified, air purifying respirators with N-, P-, or R- series particulate filter and organic vapor cartridges when concentration of vapor or mist exceeds applicable exposure limits. protection provided by air-purifying respirators is limited. Selection and use of respiratory protective equipment should be in accordance with OSHA General Industry Standard 29 CFR 1910.134. Consult a qualified industrial hygienist or Safety Professional for respirator selection guidance.			
Thermal hazards	Wear appropriate	Wear appropriate thermal protective clothing, when necessary.		
eneral hygiene nsiderations		drinking, and/or sm		uch as washing after handling the material ly wash work clothing and protective
Physical and chemic	al properties			
pearance	Milky white to colo	red liquid		
Physical state	Liquid.			

 Odor threshold
 Not available.

 265 KM PROFESSIONAL Water-Oil Hybrid — Interior/Exterior — Primer / Undercoater

 931285
 Version #: 01

 Revision date: Issue date: 30-November-2015

Liquid.

Various.

Slightly ammoniacal.

Form

Color

Odor

рН	7 - 10
Melting point/freezing point	Not available.
•••	Not available.
Initial boiling point and boiling range	INOL AVAIIADIE.
Flash point	Not available.
Evaporation rate	< 1 (n-BuAc=1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 1 (Air=1)
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Moderately soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC (Weight %)	20.07 g/L

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids.
Hazardous decomposition products	Carbon oxides. Metal oxides.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.		
Skin contact	Prolonged or repeated contact may dry skin and cause irritation.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Not available.		
Symptoms related to the physical, chemical and toxicological characteristics	Exposure may cause temporary irritation, redness, or discomfort.		
Information on toxicological eff	ects		
Acute toxicity	Ingestion may cause irritation and malaise. In high concentrations, vapors and spray mists are narcotic and may cause headache, fatigue, dizziness and nausea.		

Skin corrosion/irritation	Prolonged or repeated contact may dry skin and cause irritation.

Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization	ı		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to	o cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	roduct or any components present at greater than 0.1% are	
Carcinogenicity	Inhalation of titanium dioxide dust may cause cancer, however due to the physical form of the product, inhalation of dust is not likely. Contains ethylbenzene, which is classified as an IARC 2B chemical (Possibly Carcinogenic to Humans).		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Ethylbenzene (CAS 100-41-4)2B Possibly carcinogenic to humans.Titanium dioxide (CAS 13463-67-7)2B Possibly carcinogenic to humans.NTP Report on Carcinogens2B Possibly carcinogenic to humans.		, ,	
Not listed. OSHA Specifically Regulate	d Substances (29 CFR 1910.10	001-1050)	
Not regulated.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged or repeated contact may dry skin and cause dermatitis.		
Further information	Components of the product ma	ay be absorbed into the body through the skin.	
12. Ecological information	1		
Ecotoxicity		s environmentally hazardous. However, this does not exclude the nt spills can have a harmful or damaging effect on the environment.	

	possibility that large of frequent splits can have a narmful of damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	The product is water soluble and may spread in water systems.
Other adverse effects	None known.

# 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose in accordance with applicable federal, state, and local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information		<b>o</b> l	
US federal regulations	This product is a "Hazardo Standard, 29 CFR 1910.12 All components are on the	200.	ned by the OSHA Hazard Communication ntory List.
TSCA Section 12(b) Export	Notification (40 CFR 707, S	ubpt. D)	
Not regulated. OSHA Specifically Regulate	ed Substances (29 CFR 191	0.1001-1050)	
Not regulated.	man Lint (40 CED 202 4)		
CERCLA Hazardous Substa Ethylbenzene (CAS 100-		LISTED	
Superfund Amendments and Re	,	-	
Hazard categories	Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard Not listed.	dous substance		
SARA 311/312 Hazardous chemical	Yes		
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.
Ethylbenzene		100-41-4	<1
Other federal regulations			
Clean Air Act (CAA) Section	n 112 Hazardous Air Polluta	ants (HAPs) List	
Ethylbenzene (CAS 100- Clean Air Act (CAA) Section		Prevention (40 CFR	68.130)
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
US. Massachusetts RTK - S	ubstance List		
Calcium carbonate (CAS Ethylbenzene (CAS 100 Kaolin (CAS 1332-58-7) Silicon dioxide, crystalline Talc (CAS 14807-96-6) Titanium dioxide (CAS 13 US. New Jersey Worker and	41-4) e silica-free (CAS 7631-86-9) 3463-67-7)		
Calcium carbonate (CAS Ethylbenzene (CAS 100 Kaolin (CAS 1332-58-7) Silicon dioxide, crystalline Talc (CAS 14807-96-6) Titanium dioxide (CAS 13	1317-65-3) 41-4) e silica-free (CAS 7631-86-9) 3463-67-7)	•	
US. Pennsylvania Worker a	nd Community Right-to-Kn	ow Law	
Calcium carbonate (CAS Ethylbenzene (CAS 100- Kaolin (CAS 1332-58-7) Silicon dioxide, crystalline Talc (CAS 14807-96-6) Titanium dioxide (CAS 13	41-4) e silica-free (CAS 7631-86-9)	,	

#### US. Rhode Island RTK

Ethylbenzene (CAS 100-41-4)

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Ethylbenzene (CAS 100-41-4)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	30-November-2015
Revision date	-
Version #	01
Further information	HMIS® is a registered trade and service mark of the NPCA.
HMIS® ratings	Health: 2* Flammability: 1 Physical hazard: 0
References	ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices EPA: AQUIRE database HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. Kelly-Moore Paint Co., Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.